1SNK167041R0000 ACTIVE

ENTRELEC

TE Internal #: 1SNK167041R0000

Terminal Block & Strip Marking Accessories, Marker Card, 4 (x100) Mark Details, White, Horizontal, -55 – 110 °C [-67 – 230 °F], UL 94V-2

View on TE.com >



Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Marking Accessories



Marking Product Type: Marker Card
Pre-Printed Mark Details: 4 (x100)
Primary Product Color: White
Product Orientation: Horizontal

Operating Temperature Range: -55 - 110 °C [-67 - 230 °F]

Features

Product Type Features

Number of Cards per Package Number of Digits per Marker - Horizontal Number of Digits per Marker - Vertical Pre-Printed Mark Details A (x100) Body Features Product Weight Primary Product Material Primary Product Color White Product Orientation Dimensions Product Depth 7.6 mm Product Width Product Length Product Length Product Height 14 gl.494 oz] Primary Product Orientation Horizontal		
Number of Cards per Package Number of Digits per Marker - Horizontal Number of Digits per Marker - Vertical Pre-Printed Mark Details Body Features Product Weight Primary Product Material Primary Product Color White Product Orientation Dimensions Product Depth 7.6 mm Product Width 8 mm[.315 in] Product Length Product Height Usage Conditions	Marking Product Type	Marker Card
Number of Digits per Marker - Horizontal 4 Number of Digits per Marker - Vertical 8 Pre-Printed Mark Details 4 (x100) Body Features Product Weight 14 g[.494 oz] Primary Product Material Polyamide Primary Product Color White Product Orientation Horizontal Dimensions Product Depth 7.6 mm Product Width 8 mm[.315 in] Product Length 7.6 mm[.299 in] Product Height 12 mm[.472 in] Usage Conditions	Configuration Features	
Number of Digits per Marker - Vertical Pre-Printed Mark Details 4 (x100) Body Features Product Weight 14 g[.494 oz] Primary Product Material Polyamide Primary Product Color White Product Orientation Horizontal Dimensions Product Depth 7.6 mm Product Width 8 mm[.315 in] Product Length 7.6 mm[.299 in] Product Height Usage Conditions	Number of Cards per Package	1
Pre-Printed Mark Details Body Features Product Weight 14 g[.494 oz] Primary Product Material Polyamide Primary Product Color White Product Orientation Horizontal Dimensions Product Depth 7.6 mm Product Width 8 mm[.315 in] Product Length 7.6 mm[.299 in] Product Height 12 mm[.472 in] Usage Conditions	Number of Digits per Marker - Horizontal	4
Body Features Product Weight 14 g[.494 oz] Primary Product Material Polyamide Primary Product Color White Product Orientation Horizontal Dimensions Product Depth 7.6 mm Product Width 8 mm[.315 in] Product Length 7.6 mm[.299 in] Product Height 12 mm[.472 in] Usage Conditions	Number of Digits per Marker - Vertical	8
Product Weight 14 g[.494 oz] Primary Product Material Polyamide Primary Product Color White Product Orientation Horizontal Dimensions Product Depth 7.6 mm Product Width 8 mm[.315 in] Product Length 7.6 mm[.299 in] Product Height 12 mm[.472 in] Usage Conditions	Pre-Printed Mark Details	4 (x100)
Primary Product Material Polyamide Primary Product Color White Product Orientation Horizontal Dimensions Product Depth 7.6 mm Product Width 8 mm[.315 in] Product Length 7.6 mm[.299 in] Product Height 12 mm[.472 in] Usage Conditions	Body Features	
Primary Product Color White Product Orientation Horizontal Dimensions Product Depth 7.6 mm Product Width 8 mm[.315 in] Product Length 7.6 mm[.299 in] Product Height Usage Conditions	Product Weight	14 g[.494 oz]
Product Orientation Horizontal Dimensions Product Depth 7.6 mm Product Width 8 mm[.315 in] Product Length 7.6 mm[.299 in] Product Height 12 mm[.472 in] Usage Conditions	Primary Product Material	Polyamide
Product Depth 7.6 mm Product Width 8 mm[.315 in] Product Length 7.6 mm[.299 in] Product Height 12 mm[.472 in] Usage Conditions	Primary Product Color	White
Product Depth 7.6 mm Product Width 8 mm[.315 in] Product Length 7.6 mm[.299 in] Product Height 12 mm[.472 in] Usage Conditions	Product Orientation	Horizontal
Product Width 8 mm[.315 in] Product Length 7.6 mm[.299 in] Product Height 12 mm[.472 in] Usage Conditions	Dimensions	
Product Length 7.6 mm[.299 in] Product Height 12 mm[.472 in] Usage Conditions	Product Depth	7.6 mm
Product Height 12 mm[.472 in] Usage Conditions	Product Width	8 mm[.315 in]
Usage Conditions	Product Length	7.6 mm[.299 in]
	Product Height	12 mm[.472 in]
Operating Temperature Range -55 – 110 °C[-67 – 230 °F]	Usage Conditions	
	Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]



Industry Standards

UL Flammability Rating UL 94V-2

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought





TE Part #1SNK705961R0000 EK2.5-T3



TE Part #1SNK805010R0000 ZDK2.5-22



TE Part #1SNK805910R0000 EDK2.5-22















Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SNK167041R0000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1SNK167041R0000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1SNK167041R0000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

ENTRELEC Terminal Block - Master Catalog

ENTRELEC Terminal Block - Master Catalog

English

Terminal Block & Strip Marking Accessories, Marker Card, 4 (x100) Mark Details, White, Horizontal, -55 – 110 °C [-67 – 230 °F], UL 94V-2



MC812PA 4 (x100) Horizontal

English

SNK SERIES TERMINAL BLOCKS

English

ENTRELEC Terminal Blocks Catalogue (RUS)