1SNK908910R0000 - ACTIVE


ENTRELEC | ENTRELEC SNK

TE Internal #: 1SNK908910R0000 Terminal Block & Strip Conducting Accessories, Jumper Bar, 10 Pole, Orange, Product Spacing .315 in [8 mm], -67 – 230 °F [-55 – 110 °C], ENTRELEC SNK

View on TE.com >



Connectors > Terminal Blocks & Strips > Terminal Block & Strip Accessories > Terminal Block & Strip Conducting Accessories



Conducting Accessory Type: Jumper Bar

Number of Poles: 10

PCB Mount Retention Type: Screw

Primary Product Color: Orange

Product Spacing: 8 mm [.315 in]

Features

Product Type Features

Conducting Accessory Type	Jumper Bar
Configuration Features	
Number of Poles	10
Electrical Characteristics	
Current Rating (CSA)	51 A
Voltage Rating (IEC)	160 V
Current Rating (UL)	51 A
Current Rating (IEC)	50 A
Body Features	
Plastic & Resin Material Type	Polyamide
Product Weight	39 g[1.376 oz]
Primary Product Color	Orange
Contact Features	

& For support call+1 800 522 6752

1SNK908910R0000

Terminal Block & Strip Conducting Accessories, Jumper Bar, 10 Pole, Orange, Product Spacing .315 in [8 mm], -67 – 230 °F [-55 – 110 °C], ENTRELEC SNK



Contact Current Rating (Max)	50 A
Mechanical Attachment	
Tightening Torque	6.2 in-lbs
PCB Mount Retention Type	Screw
Dimensions	
Tool Size	3.5 mm[.138 in]
Product Depth	32.4 mm[1.276 in]
Product Width	8 mm[.315 in]
Product Length	32.4 mm[1.275 in]
Product Height	80.5 mm[3.169 in]
Product Spacing	8 mm[.315 in]
Usage Conditions	
Installation Temperature Range	-5-40 °C[23-104 °F]
Operating Temperature Range	-55 – 110 °C[-67 – 230 °F]
Industry Standards	
IP Rating	IP20

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (3.5% in Component Part) Aticle Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability
Product Compliance Disclaimer	

1SNK908910R0000

Terminal Block & Strip Conducting Accessories, Jumper Bar, 10 Pole, Orange, Product Spacing .315 in [8 mm], -67 – 230 °F [-55 – 110 °C], ENTRELEC SNK





This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



Also in the Series ENTRELEC SNK








Customers Also Bought



1SNK908910R0000

Terminal Block & Strip Conducting Accessories, Jumper Bar, 10 Pole, Orange, Product Spacing .315 in [8 mm], -67 – 230 °F [-55 – 110 °C], ENTRELEC SNK





Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1SNK908910R0000_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1SNK908910R0000_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1SNK908910R0000_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages ENTRELEC Terminal Block - Master Catalog

ENTRELEC Terminal Block - Master Catalog

English

JB8-10-R1

English

SNK SERIES TERMINAL BLOCKS

English

ENTRELEC Terminal Blocks Catalogue (RUS)