## AMP-LATCH | AMP-LATCH - NOVO

TE Internal #: 2-100103-6

TE Internal Description: 26P.A/L.STRAIN REL.


Latch Connector: Strain Relief

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > Ribbon Connector Accessories >

Latch Connector: Strain Relief



Flat Flexible Cable Accessory Type: Strain Relief Cover

Number of Positions: 26

All Latch Connector: Strain Relief (0)

Connector Accessory Comment

## **Features**

### **Product Type Features**

Troduct Type realures	
Flat Flexible Cable Accessory Type	Strain Relief Cover
Configuration Features	
Number of Positions	26
Body Features	
Primary Product Material	Glass-Filled Nylon
Primary Product Color	Gray
Dimensions	
Product Length	37.62 mm
Packaging Features	
Packaging Quantity	250
Packaging Method	Bag & Box
Other	

Receptacle Connector



# **Product Compliance**


For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# Also in the Series | AMP-LATCH - NOVO



# Customers Also Bought






















## **Documents**

Product Drawings 26P.A/L.STRAIN REL.

English

**CAD Files** 

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2-100103-6\_D.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-100103-6\_D.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-100103-6\_D.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Environmental Compliance** 

26P.A/L.STRAIN REL.



MD\_2-100103-6\_032420151447\_dmtec

English

MD\_2-100103-6\_032420151447\_dmtec

English