

### RAST | RAST 5 IDC Connectors

TE Internal #: 2-1241959-4 Housing, Receptacle, Wire-to-Wire, 4 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, RAST 5 IDC Connectors

#### View on TE.com >

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings



Connector Product Type: Housing Connector & Housing Type: Receptacle Connector System: Wire-to-Wire Number of Positions: 4 Centerline (Pitch): 5 mm [.197 in ]

## Features



## Product Type Features

| Connector Product Type             | Housing      |
|------------------------------------|--------------|
| Connector & Housing Type           | Receptacle   |
| Connector System                   | Wire-to-Wire |
| Sealable                           | No           |
| Connector & Contact Terminates To  | Wire & Cable |
| Configuration Features             |              |
| Keying & Polarized Rib Location    | 1a,4b        |
| Number of Positions                | 4            |
| Number of Rows                     | 1            |
| Body Features                      |              |
| Primary Product Color              | Natural      |
| Termination Features               |              |
| Termination Method to Wire & Cable | Crimp        |

Housing, Receptacle, Wire-to-Wire, 4 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, RAST 5 IDC Connectors



## Mechanical Attachment

| Locking Latch Between Cavity Number | 2&3, 3&4                   |
|-------------------------------------|----------------------------|
| Strain Relief                       | Without                    |
| Panel Mount Feature                 | Without                    |
| PCB Mount Retention                 | Without                    |
| Mating Retention Type               | Latch                      |
| Mating Retention                    | With                       |
| Connector Mounting Type             | Cable Mount (Free-Hanging) |
| Housing Features                    |                            |
| Housing Entry Configuration         | Both Ends Closed           |
| Housing Material                    | PA 6                       |
| Centerline (Pitch)                  | 5 mm[.197 in]              |
| Dimensions                          |                            |
| Connector Length                    | 25.5 mm[1 in]              |
| Connector Height                    | 13.9 mm[.547 in]           |
| Usage Conditions                    |                            |
|                                     |                            |

-40 - 105 °C[-40 - 221 °F]

## Operation/Application

Operating Temperature Range

| Circuit Application   | Power & Signal                          |
|---|---|
| Industry Standards  |   |
| RAST Version  | None                                    |
| Glow Wire Rating  | Glow Wire                               |
| UL Flammability Rating  | UL 94V-2                                |
| Packaging Features  |   |
| Packaging Quantity  | 1250                                    |
| Packaging Method  | Box                                     |
|   |   |
| Product Compliance  |   |
| For compliance documentation, visit the product page on TE.com> |   |
| EU RoHS Directive 2011/65/EU                                    | Compliant                               |
| EU ELV Directive 2000/53/EC                                     | Compliant                               |
| China RoHS 2 Directive MIIT Order No 32, 2016                   | No Restricted Materials Above Threshold |

Housing, Receptacle, Wire-to-Wire, 4 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, RAST 5 IDC Connectors



| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023<br>(235)<br>Candidate List Declared Against: JUNE<br>2023 (235)<br>Does not contain REACH SVHC |
|--|---|
| Halogen Content                        | Not Low Halogen - contains Br or Cl > 900<br>ppm.   |
|  |   |

Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

## **Compatible Parts**









Housing, Receptacle, Wire-to-Wire, 4 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, RAST 5 IDC Connectors








TE Part # 4-2178029-4 STD TIMER GEH 4P\_V0

## Also in the Series | RAST 5 IDC Connectors

| And a set of the set o | A Contraction of the second se |  |                                     |
|--|--|--|-------------------------------------|
| Automotive Terminals(8)  | Connector Contacts(12)   | Crimp Terminal Housings(41)  | Insertion & Extraction Tools(1)     |
|  |  | Contraction of the second seco |                                     |
| PCB Headers & Receptacles(417)   | Rectangular Connector Housings(1)  | Standard Edge Connectors(34)   | Standard Rectangular Connectors(68) |

Housing, Receptacle, Wire-to-Wire, 4 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, RAST 5 IDC Connectors





# Customers Also Bought



| STD TIM HOUSING 7P      | STD-TIM HSG SPECIAL 2P (NATURE) | CRIMPER, WIRE F | PL 250 HOUSING RECEPTACLE RED |
|-------------------------|---------------------------------|-----------------|-------------------------------|
|                         |                                 |                 |                               |
|                         |                                 |                 |                               |
|                         |                                 |                 |                               |
|                         |                                 |                 |                               |
| TE Part #653689-1       |                                 |                 |                               |
| SCHNITTPLATTE H         |                                 |                 |                               |
|                         |                                 |                 |                               |
| Documents               |                                 |                 |                               |
| Product Drawings        |                                 |                 |                               |
| STD TIM HOUSING MKII 4  | POS                             |                 |                               |
| English                 |                                 |                 |                               |
| STD TIM HOUSING MKII 41 | POS                             |                 |                               |
| English                 |                                 |                 |                               |
| CAD Files               |                                 |                 |                               |

3D PDF

3D

Housing, Receptacle, Wire-to-Wire, 4 Position, .197 in [5 mm] Centerline, Crimp, 1 Row, Natural, Mating Retention, Wire & Cable, RAST 5 IDC Connectors



**Customer View Model** 

ENG\_CVM\_CVM\_2-1241959-4\_B\_c-2-1241959-4-b.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2-1241959-4\_B\_c-2-1241959-4-b.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2-1241959-4\_B\_c-2-1241959-4-b.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications Product Specification

German

Product Environmental Compliance MD\_2-1241959-4\_06122018631\_dmtec

English

MD\_2-1241959-4\_06122018631\_dmtec

English

Agency Approvals VDE Certificate

English