




PIDG

TE Internal #: 2-1377174-3

Splices, Butt Splice, 12 – 10 AWG Wire Size, 3.31 – 5.26 mm² Wire Size, Standard, .222 in [5.64 mm] Barrel Inside Diameter, PIDG

[View on TE.com >](#)

Terminals & Splices > Splices



Wire Size: 3.31 – 5.26 mm²

Sealable: No

Splice Features: **Standard**

Compatible Insulation Diameter Range: 5.59 mm [.22 in]

Features

Product Type Features

Splice Accessory Type	Splice
Sealable	No
Splice Type	Butt Splice
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
-----------------------------------	---------------

Electrical Characteristics

Operating Voltage	600 V
-------------------	-------

Body Features

Insulation Type	Pre-Insulated
Product Weight	3.824 g
Insulation Material	Nylon
Splice Features	Standard
Primary Product Color	Yellow

Contact Features

Military Part Class	Class I, Class II
Contact Base Material	Copper
Barrel Type	Closed

Termination Features

Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Mechanical Attachment

Wire Insulation Support	Without
-------------------------	---------

Dimensions

Wire Size	5180 – 13100 CMA
Compatible Insulation Diameter Range	5.59 mm[.22 in]
Barrel Inside Diameter	5.64 mm[.222 in]
Product Length	42.06 mm[1.656 in]

Usage Conditions

Insulation Option	Fully Insulated
Operating Temperature Range	105 °C[221 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Splice	Yes
-----------------------------	-----

Packaging Features

Packaging Quantity	25
Packaging Method	Loose Piece

Other

Terminals & Splices Comment	Small packaging of 320570.
-----------------------------	----------------------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold

EU REACH Regulation (EC) No. 1907/2006

Current ECHA Candidate List: JUNE 2023 (235)

Candidate List Declared Against: JUNE 2023 (235)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts




TE Part # 320570
SPLICE BUTT PIDG 12-10




TE Part # 1SET141016R0000
SP060-N

Also in the Series | PIDG




Compression Connectors(17)



Crimp Terminal Housings(1)



Crimp Wire Pins, Tabs & Ferrules(41)



Hand Crimping Tools(2)



Knife Disconnects(11)



PCB Terminals(7)



Quick Disconnects(49)



Ring Terminals(607)



Spade Terminals(231)



Special Purpose Terminals(1)




Splices(45)


Customers Also Bought



TE Part #1445022-5
MICRO MNL RFECEPT HSG SINGLE R



TE Part #350689-3
UMNL SOK 24-18 PTPPHBZ L/P



TE Part #350547-3
UMNL PIN 20-14 PTPPHBZ L/P



TE Part #1445049-4
FREE HANG SNGL ROW HSG 4 POS



TE Part #1-794617-2
12POS,MICRO MNL,RCPT HSG




TE Part #1445022-6
MICRO MNL RFECEPT HSG SINGLE R



TE Part #3-644465-4
04P MTA156 CONN ASSY 18AWG ORA



TE Part #1-794613-0
PIN CONT 26-30 TIN PLATE L/P



TE Part #643071-4
04P MTA156 FD-THRU COVER



TE Part #2-320569-5
TERMINAL,PIDG R IR 12 1/4

Documents



Product Drawings

[SMP 0-0320570-0](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_2-1377174-3_C1.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2-1377174-3_C1.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2-1377174-3_C1.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[RADIATION_RESISTANT_PRE-INSULATED_TERMINALS_SPLICES](#)

English

Product Specifications

[Application Specification](#)

English