
2-1393219-2 - ACTIVE

### SCHRACK

TE Internal #: 2-1393219-2 Power Relays, Standard, Monostable, DC, 211 mW Coil Power Rating DC, 2725 Ω Coil Resistance, 24 VDC Coil Voltage, 1 Form C (CO)

#### View on TE.com >

Relays, Contactors & Switches > Relays > Power Relays



Power Relay Type: Standard

Coil Magnetic System: Monostable, DC

Coil Power Rating DC: 211 mW

Coil Resistance: 2725  $\Omega$ 

Coil Voltage Rating: 24 VDC

# Features

connectivity

## Product Type Features

Power Relay Type	Standard
Electrical Characteristics	
Coil Power Rating Class	200 – 300 mW
Coil Magnetic System	Monostable, DC
Coil Power Rating DC	211 mW
Coil Resistance	2725 Ω
Coil Voltage Rating	24 VDC
Contact Switching Voltage (Max)	400 VAC
Contact Voltage Rating	250 VAC
Contact Features	
Contact Arrangement	1 Form C (CO)
Contact Current Class	5 – 10 A, 16 A
Contact Current Rating (Max)	5 A
Contact Material	AgNi90/10

# 2-1393219-2

Power Relays, Standard, Monostable, DC, 211 mW Coil Power Rating DC, 2725  $\Omega$  Coil Resistance, 24 VDC Coil Voltage, 1 Form C (CO)



Contact Number of Poles	1
Relay Terminal Type	PCB-THT
Mechanical Attachment	
Relay Mounting Type	Printed Circuit Board
Packaging Features	
Packaging Method	Box & Tube, Carton
EU RoHS Directive 2011/65/EU	Compliant
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900
	ppm.

Wave solder capable to 260°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**


# 2-1393219-2

Power Relays, Standard, Monostable, DC, 211 mW Coil Power Rating DC, 2725  $\Omega$  Coil Resistance, 24 VDC Coil Voltage, 1 Form C (CO)





# Customers Also Bought



# Documents

### **CAD** Files

Customer View Model

### ENG\_CVM\_CVM\_2-1393219-2\_C2.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2-1393219-2\_C2.3d\_stp.zip

English

Customer View Model

ENG\_CVM\_CVM\_2-1393219-2\_C2.2d\_dxf.zip

English

### 3D PDF

3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

Lighting Relays Guide

English

**S** For support call+1 800 522 6752

# 2-1393219-2

Power Relays, Standard, Monostable, DC, 211 mW Coil Power Rating DC, 2725  $\Omega$  Coil Resistance, 24 VDC Coil Voltage, 1 Form C (CO)



Miniature PCB Relay PE

English

Product Specifications

**Definitions General Purpose Relays** 

English

Product Environmental Compliance

**TE Material Declaration** 

English

Agency Approvals VDE Certificate

English