Potter & Brumfield | Potter & Brumfield W9

TE Internal #: 2-1393254-4 Circuit Breakers, Magnetic, Series Trip, Black, Operating Voltage 277 VAC, 2A Current Rating, 1 Pole, Potter & Brumfield W9 View on TE.com >



Relays, Contactors & Switches > Circuit Breakers



Circuit Breaker Type: Magnetic

- Circuit Function: Series Trip
- Illuminated: No
- Actuator Color: Black
- Operating Voltage: 277 VAC

Features

Product Type Features

Illumination Type	No Light	
Actuator Type	Toggle	
Terminal Configuration	10-32 Stud	
Circuit Breaker Type	Magnetic	
Illuminated	No	
Configuration Features		
	.75 x 2.065 in	
Circuit Function	Series Trip	
Number of Poles	1	
Electrical Characteristics		
Operating Voltage	277 VAC	
Current Rating	2 A	
Interrupt Capacity	5000A @ 277VAC	
Body Features		
Actuator Color	Black	
Contact Features		
Trip Time at 200%	2.2 – 20 seconds	
Mechanical Attachment		

C For support call+1 800 522 6752

09/18/2023 07:08PM | Page 1

Circuit Breakers, Magnetic, Series Trip, Black, Operating Voltage 277 VAC, 2A Current Rating, 1 Pole, Potter & Brumfield W9



Mounting Options	6-32 Mounting Threads	
Dimensions		
Product Height	63.5 mm[2.5 in]	
Identification Marking		
Stamped Marking Type	International I/O	
Product Compliance For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant with Exemptions	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) SVHC > Threshold: Cadmium oxide (10% in Component Part) Aticle Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	
	Cadmium oxide (10% in Component Part) Article Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when	

homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

Circuit Breakers, Magnetic, Series Trip, Black, Operating Voltage 277 VAC, 2A Current Rating, 1 Pole, Potter & Brumfield W9





Also in the Series | Potter & Brumfield W9



Circuit Breakers(69)

Customers Also Bought



TE Part #5-1419102-4	TE Part #3-1393127-8	TE Part #5-1393122-7	TE Part #52949
T9AP5D52-12	PRD-11DG0-24=PRD	KHAU-17D12-24=KH	PG SPR SPD 22-16COMM 22-18MIL6
TE		TE TE	TE
TE Part #4-1393249-6	TE Part #7-1393254-0	TE Part #HD17-9-1939S-P080	TE Part #1SNK905302R0000
W58-XC4C12A-30=W58	W92-X112-15=M6/M7/M9/W6/W7	PLUG ASM	JB5-2

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-1393254-4_D.2d_dxf.zip

English

Circuit Breakers, Magnetic, Series Trip, Black, Operating Voltage 277 VAC, 2A Current Rating, 1 Pole, Potter & Brumfield W9



Customer View Model

ENG_CVM_CVM_2-1393254-4_D.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-1393254-4_D.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

W6/W9 Magnetic Hydraulic Circuit Breaker

English

Agency Approvals

UL

English