# W51-A161A1-15 - ACTIVE

TE Internal #: 2-1423673-3 Circuit Breakers, Thermal, Trip-Free - Switchable, Red, Operating Voltage 125 VAC, Operating Voltage 50 VDC, 15A Current Rating, 1 Pole

#### View on TE.com >



Relays, Contactors & Switches > Circuit Breakers



- Circuit Breaker Type: Thermal
- Circuit Function: Trip-Free Switchable

Illuminated: No

Actuator Color: Red

Operating Voltage: 125 VAC

## Features

## **Product Type Features**

Circuit Breaker Style	Angular Button
Illumination Type	No Light
Actuator Type	Rocker
Terminal Configuration	6.35 [.25] Straight Quick Connect Tab

Circuit Breaker Type	Thermal	
Illuminated	No	
Configuration Features		
Panel Cutout Size	28.5 x 13.5 mm[1.122 x .531 in]	
Circuit Function	Trip-Free - Switchable	
Number of Poles	1	
Electrical Characteristics		
Operating Voltage	50 VDC	
Current Rating	15 A	
Interrupt Capacity	1000A @ 250VAC/50VDC	
Body Features		
Body Features Actuator Color	Red	
-	Red	
Actuator Color	Red 4 – 40 seconds	

## W51-A161A1-15

Circuit Breakers, Thermal, Trip-Free - Switchable, Red, Operating Voltage 125 VAC, Operating Voltage 50 VDC, 15A Current Rating, 1 Pole



#### **Mechanical Attachment**

Mounting Options	Snaps Into 1.122 x .531 (28.5 x 13.5) Panel
	Cutout

#### Dimensions

Panel Thickness (Recommended)

#### **Identification Marking**

Stamped Marking Type

.75 – 3 mm[.03 – .118 in]

**RESET/OFF** Printed

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

Free

#### Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

## **Compatible Parts**

## W51-A161A1-15

Circuit Breakers, Thermal, Trip-Free - Switchable, Red, Operating Voltage 125 VAC, Operating Voltage 50 VDC, 15A Current Rating, 1 Pole





## Customers Also Bought



06P UMNLII IN-LINE CAP HSG KIT	06P UMNLII IN-LNE PLUG HSG KIT	UMNL II SOK PTPPHBZ	UMNL II PIN PTPBR
TE Part #4-2176389-4	TE Part #4-1423673-1		
RQ 1206 301R 0.1% 10PPM 5K RL	W51-A152A1-15=CKTBKR,THERM, ROC		

## Documents

### **CAD** Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_2-1423673-3\_E.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2-1423673-3\_E.3d\_igs.zip

English

## W51-A161A1-15

Circuit Breakers, Thermal, Trip-Free - Switchable, Red, Operating Voltage 125 VAC, Operating Voltage 50 VDC, 15A Current Rating, 1 Pole



## Customer View Model

ENG\_CVM\_CVM\_2-1423673-3\_E.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

W51 Rocker-Actuated Thermal Circuit Breaker/Power Switch With Optional Indicator Lamp

English

Agency Approvals CCC Certificate

English