
142-0000-0002 V ACTIVE

Microdot

TE Internal #: 2-1532006-8 Ultra Miniature (LEPRA/CON) RF Interface, Plug, 50 Ω, RG 196/U / RG 178/U, Threaded, 1 Position, Wire & Cable, Cable Mount (Free-Hanging)

View on TE.com >

Connectors > RF Connectors > Coax Connectors



RF Interface: Ultra Miniature (LEPRA/CON)

RF Connector Style: Plug

RF Connector Mated Outer Diameter (Approximate): 4.06 mm [.16 in]

Impedance: 50Ω

Compatible With RF Cable Type: RG 178/U, RG 196/U

Features

Product Type Features

RF Interface	Ultra Miniature (LEPRA/CON)
RF Connector Style	Plug
Compatible With RF Cable Type	RG 178/U, RG 196/U



Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	1
Number of Coaxial Contacts	1
Electrical Characteristics	
Impedance	50 Ω
Body Features	
Cable Connector Orientation	Straight
Body Material	Brass
Body Material Finish	Plated
Body Plating Material	Gold
Contact Features	
RF Connector Center Contact Plating Material	Gold
RF Connector Center Contact Material	Beryllium Copper

142-0000-0002

Ultra Miniature (LEPRA/CON) RF Interface, Plug, 50 Ω, RG 196/U / RG 178/U, Threaded, 1 Position, Wire & Cable, Cable Mount (Free-Hanging)



Termination Features

Termination Method to Wire & Cable	Crimp
Mechanical Attachment	
RF Connector Coupling Mechanism	Threaded
Connector Mounting Type	Cable Mount (Free-Hanging)
RF Contact Captivation Method	Screw
Dimensions	
RF Connector Mated Outer Diameter (Approximate)	4.06 mm[.16 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C
Packaging Features	
Packaging Method	Package
Other	
Additional Features	Solderless
Grade	Commercial
Dielectric Material	PTFE

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Compliant with Exemptions
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) SVHC > Threshold: Cd (1% in component part) Pb (3.7% in component part) Aticle Safe Usage Statements Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

C For support call+1 800 522 6752

142-0000-0002


Ultra Miniature (LEPRA/CON) RF Interface, Plug, 50 Ω , RG 196/U / RG 178/U, Threaded, 1 Position, Wire & Cable, Cable Mount (Free-Hanging)



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Customers Also Bought



Documents

Product Drawings 142-0000-0002=PLUG,STRAIGHTS-

English

CAD Files 3D PDF

C For support call+1 800 522 6752

142-0000-0002

Ultra Miniature (LEPRA/CON) RF Interface, Plug, 50 Ω, RG 196/U / RG 178/U, Threaded, 1 Position, Wire & Cable, Cable Mount (Free-Hanging)



3D

Customer View Model ENG_CVM_CVM_2-1532006-8_H.2d_dxf.zip English Customer View Model ENG_CVM_CVM_2-1532006-8_H.3d_igs.zip English Customer View Model ENG_CVM_CVM_2-1532006-8_H.3d_stp.zip English

Datasheets & Catalog Pages Products for Aerospace and Defense

English

Instruction Sheets Instruction Sheet (U.S.)

English