
SQBW201K0J <

CGS | CGS SQ TE Internal #: 2-1623779-8 1K Ω, Wire Wound, Power Resistor, 5 %, 60 x 14 x 13.5 mm, 2 Termination, Loose Piece - Box, 20 W, ±300 ppm/°C, Tinned Copper Leads Termination, CGS SQ

View on TE.com >



Passive Components > Resistors > Through-Hole Resistors > Wirewound Resistor: Vertical Mount



Resistor Type: Power Resistor

Passive Component Dimensions: 60 x 14 x 13.5 mm

Number of Terminations: 2

Packaging Method: Loose Piece - Box

Passive Component Tolerance: 5%

All Wirewound Resistor: Vertical Mount (202)

Features

Product Type Features

Product Type

Resistor Type

Fixed Resistor

Power Resistor

Element Type	Wire Wound
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Passive Component Tolerance	5 %
Resistance Class	$1k\Omega - 1M\Omega$
Resistance Value	1ΚΩ
Power Rating	20 W
Body Features	
Passive Component Lead Type	Radial-Leaded
Termination Features	
Number of Terminations	2
Passive Component Termination Material Type	Tinned Copper Leads
Dimensions	

C For support call+1 800 522 6752

09/24/2023 11:35PM | Page 1

SQBW201K0J

1K Ω , Wire Wound, Power Resistor, 5 %, 60 x 14 x 13.5 mm, 2 Termination, Loose Piece - Box, 20 W, ±300 ppm/°C, Tinned Copper Leads Termination, CGS SQ



60 x 14 x 13.5 mm -55 – 250 °C ±300 ppm/°C Loose Piece - Box
±300 ppm/°C
±300 ppm/°C
Loose Piece - Box
Loose Piece - Box
Compliant
·
Compliant
No Restricted Materials Above Threshold
Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


SQBW201K0J

1K Ω, Wire Wound, Power Resistor, 5 %, 60 x 14 x 13.5 mm, 2 Termination, Loose Piece - Box, 20 W, ±300 ppm/°C, Tinned Copper Leads Termination, CGS SQ






Also in the Series | CGS SQ



Customers Also Bought



TE Part #131250-000 222K132-25/225-0	TE Part #2-1734592-0 FPC CONN. 0.5MM PITCH B/C, 20P	TE Part #5103309-8 A/L LOW PRO HDR 40P VERT BLACK		TE Part #1623460-1 CRG1206 1% 220R	









TE Part #9-160483-5 187 PIDG FASTON REC TE Part #1-1825910-0 FSM6JH=6MM TACT SWITCH, HIGH TEMP TE Part #2-1825027-0 FSMRA7JH04=R/A,TACT PB SW,160G TE Part #1623525-1 CRG1206 1% 4K7

TE Part #AAB1633-00

91H1-11-08-1-B-HE200

SQBW201K0J

1K Ω, Wire Wound, Power Resistor, 5 %, 60 x 14 x 13.5 mm, 2 Termination, Loose Piece - Box, 20 W, ±300 ppm/°C, Tinned Copper Leads Termination, CGS SQ



Documents

Product Drawings SQB20 1K0 5% (WIRE)

English

Datasheets & Catalog Pages 4-1773460-6_RESISTIVE_SOLUTIONS_RAIL

English

1309350_PASSIVE_COMPONENT

English

8-1773459-4_POWER_FILTERING_AND_RESISTIVE_SOLUTIONS_FOR_ELEVATORS_AND_ESCALATORS

English