# 3100-20U5999 ! PENDING OBSOLESCENCE

## Products Unlimited | Products Unlimited 3100

TE Internal #: 2-1672124-7 TE Internal Description: 3100-20U5999=CONTACTOR DP Contactors, 2 Pole

## View on TE.com >



Relays, Contactors & Switches > Contactors > Definite Purpose Contactors > DP Contactors, 2 Pole



## Pole Configuration: 2

Definite Purpose Contactor Coil Voltage Rating: 208 – 240 VAC

Definite Purpose Contactor Contact Current Rating: 25 A

Definite Purpose Contactor Mounting Type: Panel

Definite Purpose Contactor Contact Arrangement: 2 Form X, DPST-NO-DM

## All DP Contactors, 2 Pole (0)

## Features

## Product Type Features

Molded	No
Product Category	Electromechanical Relays
Product Type	Contactor
Arc Cover	Without
Product Classification	Relays - Contactors
Model	96
Contactor Type	Definite Purpose
Terminal Configuration	10-32 Screw, Quick Connect
Electrical Characteristics	
Actuating System	AC
Coil Voltage (Max)	240 VAC
Definite Purpose Contactor Coil Voltage Rating	208 – 240 VAC
Definite Purpose Contactor Coil Resistance	1000 Ω
Definite Purpose Contactor Contact Switching Voltage (Max)	600 VAC
Contact Features	
Contact Base Material	Silver Cadmium Oxide
Pole Configuration	2

**C** For support call+1 800 522 6752

## 3100-20U5999

### 3100-20U5999=CONTACTOR



Definite Purpose Contactor Contact Current Rating	25 A
Definite Purpose Contactor Contact Arrangement	2 Form X, DPST-NO-DM
Termination Features	
Coil Termination	Quick Connect
Mechanical Attachment	
Mounting Plate	With
Definite Purpose Contactor Mounting Type	Panel
Dimensions	
Wire Size	1.31 – 8.37 mm²
Industry Standards	
UL Flammability Rating	UL 94V-0
Agency Approval	CSA Certified, UL Recognized
Packaging Features	
Packaging Method	Loose Piece
Other	
Comment	Stranding must be split for 8 AWG wire.
Torque	25 in-Ibs

# Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU
EU ELV Directive 2000/53/EC
China RoHS 2 Directive MIIT Order No 32, 2016
EU REACH Regulation (EC) No. 1907/2006
Halogen Content
Solder Process Capability

Compliant with Exemptions

Not Compliant

Restricted Materials Above Threshold

Current ECHA Candidate List: JUNE 2023 (235)

Candidate List Declared Against: JUNE

2022 (224)

SVHC > Threshold:

Cadmium oxide (10.81% in Component

Part)

Article Safe Usage Statements:

Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Not Yet Reviewed for halogen content

Not applicable for solder process capability

### 3100-20U5999=CONTACTOR



#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



# Also in the Series | Products Unlimited 3100





# Customers Also Bought



### 3100-20U5999=CONTACTOR





## Documents

### **CAD** Files

**Customer View Model** 

ENG\_CVM\_CVM\_2-1672124-7\_D.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-1672124-7\_D.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-1672124-7\_D.2d\_dxf.zip

English

## 3D PDF

3D

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

### Datasheets & Catalog Pages

## Model 96 - 3100 Definite Purpose Contactor 1- or 2-pole, 20-40 FLA AC Coil

English

**Product Specifications** Definitions General Purpose Relays

English