2-173985-4 - ACTIVE

#### AMP-IN

TE Internal #: 2-173985-4 PCB Mount One-Piece IDC Connector, Vertical, Wire-to-Board, 4 Position, .079 in [2 mm] Centerline, Discrete Wire, Through Hole -Press-Fit, Light Blue

View on TE.com >

Connectors > PCB Connectors > Board-In Connectors



PCB Connector Assembly Type: PCB Mount One-Piece IDC Connector

PCB Mount Orientation: Vertical

Connector System: Wire-to-Board

Number of Positions: **4** 

Centerline (Pitch): 2 mm [.079 in ]

### Features

### **Product Type Features**

PCB Connector Assembly Type

Connector System

Connector & Contact Terminates To

PCB Mount One-Piece IDC Connector

Wire-to-Board

Printed Circuit Board, Wire & Cable



### **Configuration Features**

PCB Mount Orientation	Vertical
Number of Positions	4
Compatible With Wire & Cable Type	Discrete Wire
Number of Rows	1
Electrical Characteristics	
Operating Voltage	125 VAC
Body Features	
Primary Product Color	Light Blue
Contact Features	
PCB Contact Termination Area Plating Material	Pre-Tin
Contact Base Material	Phosphor Bronze
Contact Current Rating (Max)	2 A
Termination Features	
Termination Post & Tail Length	3.5 mm[.138 in]

**C** For support call+1 800 522 6752

### 2-173985-4

PCB Mount One-Piece IDC Connector, Vertical, Wire-to-Board, 4 Position, .079 in [2 mm] Centerline, Discrete Wire, Through Hole - Press-Fit, Light Blue



Termination Method to Printed Circuit Board	Through Hole - Press-Fit
Mechanical Attachment	
PCB Mount Retention Type	Retention Solder Tails
PCB Mount Alignment	Without
PCB Mount Retention	With
Housing Features	
Centerline (Pitch)	2 mm[.079 in]
Housing Material	PBT GF
Dimensions	
Connector Length	10 mm[.394 in]
Connector Height	5.1 mm[.201 in]
PCB Thickness (Recommended)	.8 mm[.031 – .063 in]
Usage Conditions	
Operating Temperature Range	-40 - 105 °C[-40 - 105 °F]
Operation/Application	
Circuit Application	Signal

Inc	lustrv	Stand	ards
		otaria	

UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	290
Packaging Type	Box, Tray
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900

**C** For support call+1 800 522 6752

### 2-173985-4

PCB Mount One-Piece IDC Connector, Vertical, Wire-to-Board, 4 Position, .079 in [2 mm] Centerline, Discrete Wire, Through Hole - Press-Fit, Light Blue



ppm.

Solder Process Capability

Wave solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**




TE Part # 2-173977-4 CT CONN MT REC ASSY 4P BLUE



TE Part # 58074-1 MTA 50/100/156 MANUAL TOOL FRAME




TE Part # 58372-1 HEAD (IDC) 2MM C.T. W/O TL



TE Part # 911790-1 WEZAG PISTOL GRIP TOOL

# Customers Also Bought



### 2-173985-4

PCB Mount One-Piece IDC Connector, Vertical, Wire-to-Board, 4 Position, .079 in [2 mm] Centerline, Discrete Wire, Through Hole - Press-Fit, Light Blue





## Documents

# **CAD** Files

3D PDF

English

**Customer View Model** 

ENG\_CVM\_2-173985-4\_F.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_2-173985-4\_F.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_2-173985-4\_F.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

**Product Specifications** 

Application Specification

English

Product Environmental Compliance **Product Compliance** 

English

**Product Compliance** 

English

**Instruction Sheets** MINI PRESS CT CONNECTOR (WAS IS-553J)

Japanese

Instruction Sheet (non U.S.)

Japanese