
# 2-1747981-3 - ACTIVE

TE Internal #: 2-1747981-3 HDMI Connectors, Receptacle, Standard Profile, 1 Port, Top, Right Angle, Surface Mount, Carrier Tape, Cable-to-Board, 19 Position View on TE.com >



Connectors > Audio & Video Connectors > HDMI Connectors





Connector & Housing Type: Receptacle

Connector Profile: Standard

Number of Ports: 1

PCB Mount Location: Top

PCB Mount Orientation: Right Angle

### Features

### **Product Type Features**

| у<br>У                                    |               |
|---|---------------|
| Connector System Cable-te                 |               |
| у<br>,                                    | o-Board       |
| Connector & Contact Terminates To Printed |               |
|   | Circuit Board |
| Configuration Features                    |               |
| Panel Ground Location Top                 |               |
| Stacked No                                |               |
| Number of Ports 1                         |               |
| PCB Mount Orientation Right Ar            | ngle          |
| Number of Positions 19                    |               |
| Body Features                             |               |
| Shell Plating Finish Matte                |               |
| Shell Plating Material Tin                |               |
| Connector Profile Standar                 |               |

HDMI Connectors, Receptacle, Standard Profile, 1 Port, Top, Right Angle, Surface Mount, Carrier Tape, Cable-to-Board, 19 Position



### **Contact Features**

| Contact Mating Area Plating Material Thickness | .76 μm[29.92 μin]                |
|--|----------------------------------|
| Contact Mating Area Plating Material           | Gold                             |
| Contact Current Rating (Max)                   | .5 A                             |
| Termination Features                           |                                  |
| Termination Post & Tail Length                 | 1.1 mm, 1.6 mm[.043 in][.061 in] |
| Termination Method to Printed Circuit Board    | Surface Mount                    |
| Mechanical Attachment                          |                                  |
| PCB Mount Retention Type                       | Straight Leg                     |
| PCB Mount Location                             | Тор                              |
| Connector Mounting Type                        | Board Mount                      |
| Housing Features                               |                                  |
| Housing Color                                  | Black                            |
| Centerline (Pitch)                             | 1 mm[.039 in]                    |
| Dimensions                                     |                                  |
| PCB Thickness (Min)                            | 1.6 mm[.063 in]                  |
|  |                                  |

### Usage Conditions

| Mating Cycles (Max)   | 10000                     |
|---|---------------------------|
| Soldering Temperature (Max)   | 260 °C                    |
| Operating Temperature Range   | -25 – 70 °C[-13 – 158 °F] |
| Operation/Application   |                           |
| Assembly Process Feature  | Carrier Tape              |
| Circuit Application   | Signal                    |
| Packaging Features  |                           |
| Packaging Method  | Tape & Reel               |
| Product Compliance  |                           |
| For compliance documentation, visit the product page on TE.com>                                 |                           |
| •   | Compliant                 |
| For compliance documentation, visit the product page on TE.com>                                 | Compliant<br>Compliant    |
| For compliance documentation, visit the product page on TE.com><br>EU RoHS Directive 2011/65/EU |                           |

HDMI Connectors, Receptacle, Standard Profile, 1 Port, Top, Right Angle, Surface Mount, Carrier Tape, Cable-to-Board, 19 Position



Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Halogen Content


### Solder Process Capability


Reflow solder capable to 245°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**






## Customers Also Bought



HDMI Connectors, Receptacle, Standard Profile, 1 Port, Top, Right Angle, Surface Mount, Carrier Tape, Cable-to-Board, 19 Position





## Documents

**CAD** Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_2-1747981-3\_L.2d\_dxf.zip

English

Customer View Model

#### ENG\_CVM\_CVM\_2-1747981-3\_L.3d\_igs.zip

English

Customer View Model

### ENG\_CVM\_CVM\_2-1747981-3\_L.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages Connectors & Cable Assemblies Incorporating HDMI Technology

English

### 6-1773453-4\_HDMI\_QRG

English

## **Product Specifications**

**Application Specification** 

English

## Product Environmental Compliance MD\_2-1747981-3\_10172016251\_dmtec

English

HDMI Connectors, Receptacle, Standard Profile, 1 Port, Top, Right Angle, Surface Mount, Carrier Tape, Cable-to-Board, 19 Position



MD\_2-1747981-3\_10172016251\_dmtec

English