RN73C1E59RBTD <

Holsworthy | Holsworthy RN73

TE Internal #: 2-1879125-1 59 Ω, Thin Film, Precision Resistor, .1 %, 2 Termination, 0402, Taped & Reeled, .063 W, ±10 ppm/°C, Solder, 1 x .5 x .3 mm, Holsworthy RN73

View on TE.com >

Passive Components > Resistors > Surface Mount Resistors



Resistor Type: Precision Resistor

Number of Terminations: 2

Package Size Code: 0402

Packaging Method: Taped & Reeled

Passive Component Tolerance: .1 %

Features

E T E connectivity

Product Type Features

| Product Type | Fixed Resistor |
|-----------------------------|-----------------------|
| Resistor Type | Precision Resistor |
| Package Size Code | 0402 |
| Element Type | Thin Film |
| Configuration Features | |
| Number of Resistors | 1 |
| Electrical Characteristics | |
| Voltage Rating | 25 V |
| Passive Component Tolerance | .1 % |
| Resistance Class | $1k\Omega - 1M\Omega$ |
| Resistance Value | 59 Ω |
| Power Rating | .063 W |
| Termination Features | |
| Number of Terminations | 2 |

C For support call+1 800 522 6752

RN73C1E59RBTD

59 Ω, Thin Film, Precision Resistor, .1 %, 2 Termination, 0402, Taped & Reeled, .063 W, ±10 ppm/°C, Solder, 1 x .5 x .3 mm, Holsworthy RN73



| Surface Mount Resistor Termination Type | Solder | |
|--|----------------|--|
| Dimensions | | |
| Passive Component Dimensions | 1 x .5 x .3 mm | |
| Usage Conditions | | |
| Temperature Coefficient | ±10 ppm/°C | |
| Packaging Features | | |
| Packaging Method | Taped & Reeled | |
| Product Compliance For compliance documentation, visit the product page on TE.com> | | |
| EU RoHS Directive 2011/65/EU | Compliant | |

| EU ELV Directive 2000/53/EC |
|-----------------------------|
|-----------------------------|

China RoHS 2 Directive MIIT Order No 32, 2016

EU REACH Regulation (EC) No. 1907/2006

Compliant

No Restricted Materials Above Threshold

Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235)

Does not contain REACH SVHC

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts


RN73C1E59RBTD

59 Ω, Thin Film, Precision Resistor, .1 %, 2 Termination, 0402, Taped & Reeled, .063 W, ±10 ppm/°C, Solder, 1 x .5 x .3 mm, Holsworthy RN73





Also in the Series | Holsworthy RN73



Customers Also Bought



TE Part #640456-4 04P MTA100 HDR ASSY F/L SQ STR

Documents

Product Drawings RN 0402 59R 0.1% 10PPM 5K RL

English

Datasheets & Catalog Pages High Precision Resistors (SMD) - Type RN73 Series - Tyco Electronics Passives

English