

CGS | CGS 3522 TE Internal #: 2-2176230-1 39  $\Omega$ , Thick Film, Power Resistor, 5 %, 2 Termination, 2512, Taped & Reeled, 3 W, ±100 ppm/°C, Solder, 6.35 x 3.2 x .55 mm, CGS 3522 View on TE.com >

connectivity

Passive Components > Resistors > Surface Mount Resistors > SMD Power Resistor: 3 Watt, 5% Tol



Resistor Type: Power Resistor

Number of Terminations: 2

Package Size Code: 2512

Packaging Method: Taped & Reeled

Passive Component Tolerance: 5%

All SMD Power Resistor: 3 Watt, 5% Tol (37)

## Features

### Product Type Features

Product Type	Fixed Resistor
Resistor Type	Power Resistor
Package Size Code	2512
Element Type	Thick Film
Configuration Features	
Number of Resistors	1
Electrical Characteristics	
Passive Component Tolerance	5 %
Resistance Class	Up to 1kΩ
Resistance Value	39 Ω
Power Rating	3 W
Termination Features	
Number of Terminations	2

#### 352239RJT

39 Ω, Thick Film, Power Resistor, 5 %, 2 Termination, 2512, Taped & Reeled, 3 W, ±100 ppm/°C, Solder, 6.35 x 3.2 x .55 mm, CGS 3522



Surface Mount Resistor Termination Type	Solder
Dimensions	
Passive Component Dimensions	6.35 x 3.2 x .55 mm
Usage Conditions	
Temperature Coefficient	±100 ppm/°C
Packaging Features	
Packaging Method	Taped & Reeled
EU RoHS Directive 2011/65/EU	
	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Compliant with Exemptions Compliant with Exemptions
EU ELV Directive 2000/53/EC China RoHS 2 Directive MIIT Order No 32, 2016	
	Compliant with Exemptions

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Reflow solder capable to 260°C

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**


#### 352239RJT

39 Ω, Thick Film, Power Resistor, 5 %, 2 Termination, 2512, Taped & Reeled, 3 W, ±100 ppm/°C, Solder, 6.35 x 3.2 x .55 mm, CGS 3522





# Also in the Series | CGS 3522



# Customers Also Bought



TE Part #1-2176057-6 RLP73M 3A R043 1% 1K RL	TE Part #2-1879501-9 CRGH2512 5% 15R 2W	TE Part #3-1879501-1 CRGH2512 5% 18R 2W	TE Part #9-1614353-1 RN 0603 49R9 0.1% 10PPM CUT LENGTH
---	--	--	---



### Documents

Product Drawings 3522 39R 5% 3W

English

**CAD** Files

3D PDF

3D

#### 352239RJT

39 Ω, Thick Film, Power Resistor, 5 %, 2 Termination, 2512, Taped & Reeled, 3 W, ±100 ppm/°C, Solder, 6.35 x 3.2 x .55 mm, CGS 3522



Customer View Model

ENG\_CVM\_CVM\_2-2176230-1\_BA.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-2176230-1\_BA.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2-2176230-1\_BA.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages SMD POWER RESISTORS - TYPE 3522 SERIES

English

Product Environmental Compliance TE Material Declaration

English