2-2296207-4 - ACTIVE


#### VAL-U-LOK

TE Internal #: 2-2296207-4 Rectangular Connector Housings, Wire-to-Wire / Wire-to-Panel, 24 Position, .165 in [4.2 mm] Centerline, 2 Row, Nylon, Plug, Socket, Wire & Cable

View on TE.com >



Connectors > Rectangular Connectors > Rectangular Connector Housings



Connector System: Wire-to-Panel, Wire-to-Wire

Number of Positions: 24

Centerline (Pitch): 4.2 mm [.165 in ]

Number of Rows: 2

Housing Material: Nylon

## Features

## Product Type Features

Connector System	Wire-to-Panel, Wire-to-Wire
Connector & Housing Type	Plug
Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Insertion Force	15 Newton
Number of Positions	24
Number of Rows	2
Contact Features	
Contact Type	Socket
Mechanical Attachment	
Connector Mounting Type	Cable Mount (Free-Hanging), Panel Mount
Housing Features	

Centerline (Pitch)	4.2 mm[.165 in]	
Housing Material	Nylon	
Dimensions		

4.2 mm[.165 in]

**C** For support call+1 800 522 6752

Row-to-Row Spacing

### 2-2296207-4

Rectangular Connector Housings, Wire-to-Wire / Wire-to-Panel, 24 Position, .165 in [4.2 mm] Centerline, 2 Row, Nylon, Plug, Socket, Wire & Cable



### **Usage Conditions**

Operating Temperature Range

#### **Operation/Application**

**Circuit Application** 

Power

-40 - 105 °C[-40 - 221 °F]

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


# **Compatible Parts**



## 2-2296207-4

Rectangular Connector Housings, Wire-to-Wire / Wire-to-Panel, 24 Position, .165 in [4.2 mm] Centerline, 2 Row, Nylon, Plug, Socket, Wire & Cable





# Customers Also Bought



# Documents

**Product Drawings** 24P PM PLUG VAL-U-LOK PM GWT/V0

English

# CAD Files

3D PDF

3D

**Customer View Model** ENG\_CVM\_CVM\_2-2296207-4\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2-2296207-4\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-2296207-4\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

## 2-2296207-4

Rectangular Connector Housings, Wire-to-Wire / Wire-to-Panel, 24 Position, .165 in [4.2 mm] Centerline, 2 Row, Nylon, Plug, Socket, Wire & Cable



Product Specifications Application Specification

English

Agency Approvals

UL Report

English

UL Report

English