FPC

TE Internal #: 2-2328724-5

FPC Connectors, Cable-to-Board, 25 Position, .3 mm Centerline,

Non-ZIF, Right Angle, Surface Mount, Front Flip (Rear Hinge)

Actuator

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > FPC Connectors











Connector System: Cable-to-Board

Number of Positions: 25
Centerline (Pitch): .3 mm

Insertion Force Type: Non-ZIF

PCB Mount Orientation: Right Angle

Features

Product Type Features

PCB Connector Assembly Type	PCB Mount Receptacle
Connector Product Type	Connector Assembly
Connector System	Cable-to-Board
Insertion Force Type	Non-ZIF
FPC Actuator Type	Front Flip (Rear Hinge)
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Configuration Features Compatible With Wire & Cable Type	FFC, FPC
	FFC, FPC 2
Compatible With Wire & Cable Type	

30 VAC

Electrical Characteristics

Operating Voltage



Actuator Color	Black
Primary Product Color	Natural
Contact Features	
Contact Type	Socket
Contact Shape & Form	Standard Flat
PCB Contact Termination Area Plating Material	Gold
Contact Base Material	Copper Alloy
Contact Mating Location	Bottom
Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	.5 A
Termination Features	
Termination Method to Printed Circuit Board	Surface Mount
Mechanical Attachment	
Mating Alignment	With
Housing Features	
Housing Material	LCP (Liquid Crystal Polymer)
Centerline (Pitch)	.3 mm
Dimensions	
Connector Height	1 mm[.039 in]
Connector Width	9 mm[.35 in]
Accepts Flex Cable Thickness	.2 mm[.008 in]
Usage Conditions	
Operating Temperature Range	-40 - 85 °C[-40 - 185 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Method	Tape & Reel

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------



EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Customers Also Bought























Documents

Product Drawings

25PIN 0.3MMP FPC CONNECTOR, FRONT FLIP

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-2328724-5_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-2328724-5_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-2328724-5_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Product Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English