


LEAVYSEAL

TE Internal #: 2-2331102-1 PCB Mount Header, Vertical, Wire-to-Board, 46 Position, 4 mm Centerline, Fully Shrouded, Silver, Through Hole - Solder, Sealable, Signal, LEAVYSEAL

View on TE.com >

Connectors > PCB Connectors > PCB Headers & Receptacles



Connector System: Wire-to-Board

Number of Positions: 46

Centerline (Pitch): 4 mm

Sealable: Yes

PCB Mount Orientation: Vertical

Features

connectivity

Product Type Features

| Connector Shape | Rectangular | | | | |
|-----------------------------------|-----------------------|--|--|--|--|
| PCB Connector Assembly Type | PCB Mount Header | | | | |
| Header Type | Fully Shrouded | | | | |
| Connector System | Wire-to-Board | | | | |
| Sealable | Yes | | | | |
| Connector & Contact Terminates To | Printed Circuit Board | | | | |
| Configuration Features | | | | | |
| Number of Positions | 46 | | | | |
| PCB Mount Orientation | Vertical | | | | |
| Number of Rows | 3 | | | | |
| Body Features | | | | | |
| Primary Product Color | Gray | | | | |
| Connector & Keying Code | В | | | | |
| Contact Features | | | | | |

C For support call+1 800 522 6752

PCB Mount Header, Vertical, Wire-to-Board, 46 Position, 4 mm Centerline, Fully Shrouded, Silver, Through Hole - Solder, Sealable, Signal, LEAVYSEAL



| Contact Size | 1.5mm |
|---------------------------------------------|-----------------------|
| Contact Type | Tab |
| Mating Tab Width | 1.5 mm |
| Mating Tab Thickness | .64 mm |
| Contact Mating Area Plating Material | Silver |
| Contact Current Rating (Max) | 23 A |
| Termination Features | |
| Termination Method to Printed Circuit Board | Through Hole - Solder |
| Mechanical Attachment | |
| Mating Alignment | With |
| Connector Mounting Type | Board Mount |
| Housing Features | |
| Centerline (Pitch) | 4 mm |
| Usage Conditions | |
| Operating Temperature Range | -30 – 120 °C |
| Operation/Application | |
| Circuit Application | Signal |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant | |
|-----------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|--|
| EU ELV Directive 2000/53/EC | Compliant | |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold | |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC | |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free | |
| Solder Process Capability | Not reviewed for solder process capability | |
| Product Compliance Disclaimer | | |

PCB Mount Header, Vertical, Wire-to-Board, 46 Position, 4 mm Centerline, Fully Shrouded, Silver, Through Hole - Solder, Sealable, Signal, LEAVYSEAL



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series | LEAVYSEAL



| | | | 0 |
|--------------------------------------------|-------------------------|---------------------------------|-----------------------------------------------|
| Automotive Connector Caps & Covers (17) | Automotive Housings(79) | Insertion & Extraction Tools(5) | Other Automotive Connector Accessories(15) |




PCB Headers & Receptacles(16)

Customers Also Bought

PCB Mount Header, Vertical, Wire-to-Board, 46 Position, 4 mm Centerline, Fully Shrouded, Silver, Through Hole - Solder, Sealable, Signal, LEAVYSEAL







TE Part #474817-E SRCP 1,27 6 M 1-KS SMD 137 E1 094 * GU-H

Documents

Product Drawings TAB HEADER 46POS.

English

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_2-2331102-1_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-2331102-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-2331102-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications

C For support call+1 800 522 6752

PCB Mount Header, Vertical, Wire-to-Board, 46 Position, 4 mm Centerline, Fully Shrouded, Silver, Through Hole - Solder, Sealable, Signal, LEAVYSEAL



Application Specification

English