
2-284865-6 - ACTIVE

TE Internal #: 2-284865-6 Standard Edge Connectors, Wire-to-Board, 6 Position, .098 in [2.5 mm] Centerline, Insulation Displacement (IDC), 1 Row, Natural, PBT GF, Fully Loaded

View on TE.com >

Connectors > PCB Connectors > Card Edge Connectors > Standard Edge Connectors



Connector System: Wire-to-Board

Number of Positions: 6

Centerline (Pitch): 2.5 mm [.098 in]

Termination Method to Wire & Cable: Insulation Displacement (IDC)

Number of Rows: 1

Features

Product Type Features



Connector System	Wire-to-Board
Connector & Housing Type	Plug
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	6
Number of Rows	1
Connector Contact Load Condition	Fully Loaded
Electrical Characteristics	
Operating Voltage	63 VAC
Body Features	
Primary Product Color	Natural
Contact Features	
Contact Current Rating (Max)	2 A
Termination Features	

2-284865-6

Standard Edge Connectors, Wire-to-Board, 6 Position, .098 in [2.5 mm] Centerline, Insulation Displacement (IDC), 1 Row, Natural, PBT GF, Fully Loaded



Termination Method to Wire & Cable	Insulation Displacement (IDC)
Housing Features	
Centerline (Pitch)	2.5 mm[.098 in]
Housing Material	PBT GF
Usage Conditions	
Operating Temperature Range	-40 - 110 °C[-40 - 230 °F]
Operation/Application	
Circuit Application	Signal
Product Compliance	
•	Compliant
Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC	Compliant Compliant
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	

Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts

2-284865-6

Standard Edge Connectors, Wire-to-Board, 6 Position, .098 in [2.5 mm] Centerline, Insulation Displacement (IDC), 1 Row, Natural, PBT GF, Fully Loaded





Customers Also Bought



Direct mount card edge conn.,

AMP DUOPLUG POW CONN. 9POS W.PCB LOCKING

Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-284865-6_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-284865-6_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-284865-6_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

2-284865-6

Standard Edge Connectors, Wire-to-Board, 6 Position, .098 in [2.5 mm] Centerline, Insulation Displacement (IDC), 1 Row, Natural, PBT GF, Fully Loaded



Product Environmental Compliance

MD_2-284865-6_031520181321_dmtec

English

MD_2-284865-6_031520181321_dmtec

English

Agency Approvals Agency Approval Document

English