# 2-320561-4 V ACTIVE

### **PIDG**

TE Internal #: 2-320561-4


Closed Ring Tongue Terminal, 14 AWG, #6 / M3.5 Stud Size, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially

Insulated, PIDG

View on TE.com >



Terminals & Splices > Ring Terminals > PIDG Ring Tongue Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 4234 CMA
Stud Size: #6, M3.5

### All PIDG Ring Tongue Terminals (418)

### **Features**

#### **Product Type Features**

Froduct Type Features	
Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#6, M3.5
Sealable	No
Wire Insulation Support Retention Type	Insulation Restriction
Configuration Features	
Number of Holes	1
Electrical Characteristics	
Voltage Rating	300 V
Body Features	
Product Weight	.872 g
Stripe Color	Green
Contact Features	
Military Part Class	Class I



Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Wire Size	4234 CMA
Stud Diameter	3.68 mm[.145 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	19.43 mm[.765 in]
Compatible Insulation Diameter (Max)	3.3 mm[.13 in]
Compatible Insulation Diameter Range	1.98 – 3.3 mm[.078 – .13 in]
Usage Conditions	
	Partially Insulated
Usage Conditions	
Usage Conditions Insulation Option	Partially Insulated
Usage Conditions  Insulation Option  Operating Temperature Range	Partially Insulated
Usage Conditions  Insulation Option  Operating Temperature Range  Operation/Application	Partially Insulated  105 °C[221 °F]
Usage Conditions  Insulation Option  Operating Temperature Range  Operation/Application  Compatible With Wire Base Material	Partially Insulated  105 °C[221 °F]  Copper
Usage Conditions  Insulation Option  Operating Temperature Range  Operation/Application  Compatible With Wire Base Material  Compatible With Wire Plating Material	Partially Insulated  105 °C[221 °F]  Copper
Usage Conditions  Insulation Option  Operating Temperature Range  Operation/Application  Compatible With Wire Base Material  Compatible With Wire Plating Material  Industry Standards	Partially Insulated  105 °C[221 °F]  Copper  Tin
Usage Conditions  Insulation Option  Operating Temperature Range  Operation/Application  Compatible With Wire Base Material  Compatible With Wire Plating Material  Industry Standards  Government Qualified Terminal	Partially Insulated  105 °C[221 °F]  Copper  Tin

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235)



Does not contain R	REACH SVHO	
--------------------	------------	--

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per
	homogenous material. Also BFR/CFR/PVC
	Free

#### Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

# Compatible Parts



T-HEAD PIDG SH 26-14 ASSY



TE Part # 47387 DAHT PG PIDG 20-14 ASSY













Also in the Series | PIDG











### **Documents**

### **Product Drawings**

TERMINAL, PIDG R IR 146

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2-320561-4\_AA.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-320561-4\_AA.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-320561-4\_AA.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## **Product Specifications**

**Application Specification** 

English

## **Product Environmental Compliance**

MD\_2-320561-4\_05022015457\_dmtec

English

MD\_2-320561-4\_05022015457\_dmtec

English

### **Agency Approvals**

**CSA Certificate** 

English