
2-320573-2 - ACTIVE

PIDG

TE Internal #: 2-320573-2 Closed Ring Tongue Terminal, 20 AWG, 3/8 Stud Size, 9.53 mm [. 375 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG

View on TE.com >

Terminals & Splices > Ring Terminals > PIDG Ring Tongue Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 1186 CMA

Stud Size: 3/8

All PIDG Ring Tongue Terminals (418)





Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	3/8
Sealable	No
Wire Insulation Support Retention Type	Insulation Restriction
Configuration Features	
Number of Holes	1
Electrical Characteristics	
Voltage Rating	300 V
Body Features	
Product Weight	1.241 g
Stripe Color	Red
Contact Features	
Military Part Class	Class I

Closed Ring Tongue Terminal, 20 AWG, 3/8 Stud Size, 9.53 mm [.375 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Wire Size	1186 CMA
Stud Diameter	9.53 mm[.375 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	30.94 mm[1.218 in]
Compatible Insulation Diameter (Max)	2.79 mm[.11 in]
Compatible Insulation Diameter Range	1.17 – 2.79 mm[.046 – .11 in]
Usage Conditions	
Insulation Option	Partially Insulated
Operating Temperature Range	105 °C[221 °F]
Operation/Application	
Compatible With Wire Base Material	Copper

Compatible With Wire Plating Material

Tin

Industry Standards

Government Qualified Terminal	Yes
Packaging Features	
Packaging Quantity	1000
Packaging Method	Loose Piece
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235)

Closed Ring Tongue Terminal, 20 AWG, 3/8 Stud Size, 9.53 mm [.375 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Not applicable for solder process capability

Halogen Content

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 59170 T-HEAD PIDG SH 26-14 ASSY	TE Part # 47386 DAHT PG PIDG 26-16 ASSY	TE Part # 47386-4 DAHT PG PIDG 26-16 ASSY	TE Part # 58423-1 DIE, RBY IS9252
TE Part # 58433-3 PRO CR ASSY, RBY IS9252	TE Part # 525690 DAHT PG PIDG 20-18 ASSY	TE Part # 2063030-1 SDE DIESET, RBY, UL	TE Part # 47806-2 DIES PIDG 22-16 DIE SET
TE Part # 59300 T-HEAD PIDG PG 26-16 ASSY	TE Part # 69344 PIDG 26-22 DIE SET	TE Part # 1SET191001R0000 CRIMP-HT	TE Part # 2392021-2 RED BATTERY DAHT KIT 220V (47689- 4)

Closed Ring Tongue Terminal, 20 AWG, 3/8 Stud Size, 9.53 mm [.375 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG






Also in the Series | PIDG



	6			
Knife Disconnects(11)	PCB Terminals(7)	Quick Disconnects(49)	Ring Terminals(611)	



Customers Also Bought



Closed Ring Tongue Terminal, 20 AWG, 3/8 Stud Size, 9.53 mm [.375 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG







Documents

Product Drawings TERMINAL, PIDG R IR 20 3/8

English

CAD Files 3D PDF

3D

Customer View Model ENG_CVM_CVM_2-320573-2_Z.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-320573-2_Z.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-320573-2_Z.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications
Application Specification

English

Product Environmental Compliance TE Material Declaration

English