
2-320575-3 - ACTIVE

PIDG

TE Internal #: 2-320575-3 Closed Ring Tongue Terminal, 14 AWG, 5/16 / M8 Stud Size, 7.92 mm [.312 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG

View on TE.com >

Terminals & Splices > Ring Terminals > PIDG Ring Tongue Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 4234 CMA

Stud Size: 5/16, M8

All PIDG Ring Tongue Terminals (414)

Features

E T E Connectivity

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal	
Stud Size	5/16, M8	
Sealable	No	
Wire Insulation Support Retention Type	Insulation Restriction	
Configuration Features		
Number of Holes	1	
Electrical Characteristics		
Voltage Rating	300 V	
Body Features		
Product Weight	1.244 g	
Stripe Color	Green	
Contact Features		
Military Part Class	Class I	

Closed Ring Tongue Terminal, 14 AWG, 5/16 / M8 Stud Size, 7.92 mm [.312 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Tin
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Wire Size	4234 CMA
Stud Diameter	7.92 mm[.312 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	29 mm[1.14 in]
Compatible Insulation Diameter (Max)	3.3 mm[.13 in]
Compatible Insulation Diameter Range	1.98 – 3.3 mm[.078 – .13 in]
Usage Conditions	
Insulation Option	Partially Insulated
Operating Temperature Range	105 °C[221 °F]
Operation/Application	
Compatible With Wire Base Material	Copper

Compatible With Wire Plating Material

Tin

Industry Standards

Government Qualified Terminal	Yes
Packaging Features	
Packaging Quantity	1000
Packaging Method	Box
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235)

Closed Ring Tongue Terminal, 14 AWG, 5/16 / M8 Stud Size, 7.92 mm [.312 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Not applicable for solder process capability

Halogen Content

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




TE Part # 59170	TE Part # 47387	TE Part # 58423-1	TE Part # 58433-3
T-HEAD PIDG SH 26-14 ASSY	DAHT PG PIDG 20-14 ASSY	DIE, RBY IS9252	PRO CR ASSY, RBY IS9252
TE Part # 47806-2	TE Part # 47807-1	TE Part # 1SET191001R0000	TE Part # 169404
DIES PIDG 22-16 DIE SET	DIES PIDG 16-14 DIE SET	CRIMP-HT	CERTI-LOK DIE


Also in the Series | PIDG

Closed Ring Tongue Terminal, 14 AWG, 5/16 / M8 Stud Size, 7.92 mm [.312 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG





Customers Also Bought



Documents

C For support call+1 800 522 6752

Closed Ring Tongue Terminal, 14 AWG, 5/16 / M8 Stud Size, 7.92 mm [.312 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated, PIDG



Product Drawings TERMINAL, PIDG R IR 14 5/16 English **CAD** Files 3D PDF 3D Customer View Model ENG_CVM_CVM_2-320575-3_T.2d_dxf.zip English Customer View Model ENG_CVM_CVM_2-320575-3_T.3d_igs.zip English Customer View Model ENG_CVM_CVM_2-320575-3_T.3d_stp.zip English By downloading the CAD file I accept and agree to the **Terms and Conditions** of use. **Product Specifications Application Specification**

English

Product Environmental Compliance TE Material Declaration

English

Agency Approvals CSA Certificate

English