
# 2-322873-5 - ACTIVE

### STRATO-THERM DIAMOND GRIP

TE Internal #: 2-322873-5 Closed Ring Tongue Terminal, 22 – 16 AWG, #6 Stud Size, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Nickel, STRATO-THERM DIAMOND GRIP

#### View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal


Wire Size: 509 – 3260 CMA

Stud Size: #6

# Features

# **Product Type Features**

Ring Terminal Product Type	Closed Ring Tongue Terminal
Stud Size	#6
Sealable	No
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Number of Holes	1
Body Features	
Insulation Sleeve Color	Green
Stripe Color	Green
Contact Features	
Barrel Type	Closed
Terminal Orientation	Straight
Terminal Plating Material	Nickel
Mechanical Attachment	
Wire Insulation Support	With





# 2-322873-5

Closed Ring Tongue Terminal, 22 – 16 AWG, #6 Stud Size, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Nickel, STRATO-THERM DIAMOND GRIP



#### Dimensions

Wire Size	509 – 3260 CMA
Stud Diameter	3.68 mm[.145 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	20.22 mm[.796 in]
Compatible Insulation Diameter (Max)	3.56 mm[.14 in]
Compatible Insulation Diameter Range	2.67 – 3.56 mm[.105 – .14 in]
Usage Conditions	
Insulation Option	Uninsulated
Insulation Option Operating Temperature Range	Uninsulated 649 °C[1200 °F]
Operating Temperature Range	
Operating Temperature Range Industry Standards	649 °C[1200 °F]
Operating Temperature Range Industry Standards Government Qualified Terminal	649 °C[1200 °F]

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part

# 2-322873-5

Closed Ring Tongue Terminal, 22 – 16 AWG, #6 Stud Size, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Nickel, STRATO-THERM DIAMOND GRIP



numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


# **Compatible Parts**



# Also in the Series | STRATO-THERM DIAMOND GRIP



# **Customers Also Bought**



# 2-322873-5

Closed Ring Tongue Terminal, 22 – 16 AWG, #6 Stud Size, 3.68 mm [.145 in] Stud Diameter, Closed Barrel, Straight, Nickel, STRATO-THERM DIAMOND GRIP



TE Part #103958-7 2X8 MTE RCPT SR LATCH .100CL

# Documents

# Product Drawings DG 22-16 HT ALUMEL R 6

English

### **CAD** Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_2-322873-5\_Y.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2-322873-5\_Y.3d\_igs.zip

English

Customer View Model

### ENG\_CVM\_CVM\_2-322873-5\_Y.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

# Datasheets & Catalog Pages RADIATION\_RESISTANT\_PRE-INSULATED\_TERMINALS\_SPLICES

English

### **Product Environmental Compliance**

**Product Compliance** 

English

**Product Compliance** 

English