PLASTI-GRIP

TE Internal #: 2-32949-1

Closed Ring Tongue Terminal, 22 – 16 AWG, #10 Stud Size, 5 mm [.


197 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially

Insulated, PLASTI-GRIP

View on TE.com >



Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: **509 – 3260 CMA**

Stud Size: #10

Features

Product Type Features

Closed Ring Tongue Terminal
#10
No
Insulation Support
1
600 V
.155 g
Red
Red
Closed

Straight

Terminal Orientation



Terminal Plating Material	Tin
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Wire Size	509 – 3260 CMA
Stud Diameter	5 mm[.197 in]
Tongue Thickness	.78 mm[.031 in]
Product Length	20.55 mm[.809 in]
Compatible Insulation Diameter (Max)	3.18 mm[.125 in]
Compatible Insulation Diameter Range	2.03 – 3.18 mm[.08 – .125 in]
Usage Conditions	
Insulation Option	Partially Insulated
Operating Temperature Range	105 °C[221 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin
Industry Standards	
Government Qualified Terminal	No
Packaging Features	
Packaging Quantity	5000

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.



Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts














Also in the Series | PLASTI-GRIP





Crimp Wire Pins, Tabs & Ferrules(25)





09/18/2023 07:51PM | Page 3






Customers Also Bought



TE Part #3-640441-2 02P MTA100 CONN ASSY WHT



TE Part #34152 PG R 22-16 COMM 22-18 MIL 3/8



TE Part #640905-2 RECEPT,PIDG FASTON 16-14 250



TE Part #1-1123722-2
3.96 EP PLUG HSG 2P(NATURAL)



TE Part #1-1123722-4
3.96 EP PLUG HSG 4P(NATURAL)



TE Part #1123721-2 ECONOMY POWER CONN REC CONT



TE Part #31096 DG R 22-16 COMM 22-18 MIL 6



TE Part #342105-1 TERM, RT, PLASTI-GRIP, 22-16, M6[1/4]



TE Part #320559 PIDG SPLICE 22-16COMM 22-18MIL



PIDG R 22-16 COMM 22-18 MIL 10

Documents

Product Drawings

PG R 22-16 COMM 22-18 MIL 10

English

CAD Files

Customer View Model

ENG_CVM_CVM_2-32949-1_N.2d_dxf.zip

English

3D PDF



3D

Customer View Model

ENG_CVM_CVM_2-32949-1_N.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-32949-1_N.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Agency Approvals

UL Report

English