

PIDG


TE Internal #: 2-36153-9

Closed Ring Tongue Terminal, 18 AWG, #10 Stud Size, 5 mm [.197

in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated

View on TE.com >

Terminals & Splices > Ring Terminals > PIDG Ring Tongue Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 1900 CMA

Stud Size: **#10**

Stud Diameter: 5 mm [.197 in]

All PIDG Ring Tongue Terminals (414)

Features

E T E connectivity

Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal	
Stud Size	#10	
Sealable	No	
Wire Insulation Support Retention Type	Insulation Restriction	
Configuration Features		
Number of Holes	1	
Electrical Characteristics		
Voltage Rating	300 V	
Body Features		
Product Weight	.828 g	
Stripe Color	White	
Contact Features		
Barrel Type	Closed	

Closed Ring Tongue Terminal, 18 AWG, #10 Stud Size, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated



Terminal Orientation	Straight	
Terminal Plating Material	Tin	
Mechanical Attachment		
Wire Insulation Support	With	
Dimensions		
Wire Size	1900 CMA	
Stud Diameter	5 mm[.197 in]	
Tongue Thickness	.79 mm[.031 in]	
Product Length	23.01 mm[.91 in]	
Compatible Insulation Diameter (Max)	2.79 mm[.11 in]	
Compatible Insulation Diameter Range	1.42 – 2.79 mm[.056 – .11 in]	
Usage Conditions		
Insulation Option	Partially Insulated	
Operating Temperature Range	105 °C[221 °F]	
Operation/Application		
Compatible With Wire Base Material	Copper	
Compatible With Wire Plating Material	Tin	

Industry Standards

Government Qualified Terminal	No	
Packaging Features		
Packaging Quantity	5000	
Packaging Method	Tape Mounted	
Product Compliance For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC	

Closed Ring Tongue Terminal, 18 AWG, #10 Stud Size, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated



Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




TETRA-CRIMP PIDG PG FASTON 22- 10 ASSY	DAHT PG PIDG 26-16 ASSY	DIE, RBY IS9252	PRO CR ASSY, RBY IS9252
TE Part # 47806-2 DIES PIDG 22-16 DIE SET	TE Part # 1SET191001R0000 CRIMP-HT	TE Part # 1SET191002R0000 TET CRIMP-HT	TE Part # 169404 CERTI-LOK DIE

Also in the Series | PIDG



Closed Ring Tongue Terminal, 18 AWG, #10 Stud Size, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated





Customers Also Bought



IM06DGR=IM RELAY 140mW 12V	SQ FG REC ASM	HSC100 8R2 5%	PG R 22-16 COMM 22-18 MIL 1/4
9			
TE Part #35108 TERMINAL,PIDG R 12-10 8	TE Part #YD8174E61-0SN-5146 RECP ASSY	TE Part #1-2399643-5 Strada Cable Assy, 100 ohm, Space- Rated	TE Part #10221272-00 6111-2011-130 POTENTIOMETER, 3X, SH CONT



Documents

Closed Ring Tongue Terminal, 18 AWG, #10 Stud Size, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated



Product Drawings TERMINAL,PIDG R IR 18 10

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-36153-9_AF.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-36153-9_AF.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-36153-9_AF.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Product Environmental Compliance TE Material Declaration

English

Agency Approvals CSA Certificate

English