


PIDG

TE Internal #: 2-36154-2 Closed Ring Tongue Terminal, 22 – 16 AWG, #10 Stud Size, 5 mm [. 197 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated

View on TE.com >

Terminals & Splices > Ring Terminals > PIDG Ring Tongue Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: 509 – 3260 CMA

Stud Size: **#10**

All PIDG Ring Tongue Terminals (418)



Product Type Features

Ring Terminal Product Type	Closed Ring Tongue Terminal	
Stud Size	#10	
Sealable	No	
Wire Insulation Support Retention Type	Insulation Support	
Configuration Features		
Number of Holes	1	
Electrical Characteristics		
Voltage Rating	300 V	
Body Features		
Product Weight	.847 g	
Contact Features		
Barrel Type	Closed	
Terminal Orientation	Straight	

connectivity

Closed Ring Tongue Terminal, 22 – 16 AWG, #10 Stud Size, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated



Terminal Plating Material	Tin
Mechanical Attachment	
Wire Insulation Support	With
Dimensions	
Wire Size	509 – 3260 CMA
Stud Diameter	5 mm[.197 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	21.44 mm[.84 in]
Compatible Insulation Diameter (Max)	3.56 mm[.14 in]
Compatible Insulation Diameter Range	2.67 – 3.56 mm[.105 – .14 in]
Usage Conditions	
Insulation Option	Partially Insulated
Operating Temperature Range	105 °C[221 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
Compatible With Wire Plating Material	Tin
Industry Standards	

Industry Standards

Government Qualified Terminal	No	
Packaging Features		
Packaging Quantity	5000	
Packaging Method	Tape Mounted	
Product Compliance For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC	

Closed Ring Tongue Terminal, 22 – 16 AWG, #10 Stud Size, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated



Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts






Also in the Series | PIDG



Closed Ring Tongue Terminal, 22 – 16 AWG, #10 Stud Size, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated





Customers Also Bought



CORCOM P SERIES MULTI- FUNCTION INLET FIL	HSC300 47R 5%	RT315024	PIDG, R, 12-10, M10
TE Part #5148020-5 ASSY,PIN,EURO,"C/2",L-FREE,48	TE Part #2-604771-0 CABLE TIE, BLACK, 4" (1000)	TE Part #666398-000 HEL-4843	TE Part #2373341-1 M12 A CODE 8P,FEMALE, DOU END COMBINED

Documents

Product Drawings PIDG 22-16 22-18 MIL R 10;TAPE

English

CAD Files

Customer View Model

ENG_CVM_CVM_2-36154-2_AE.2d_dxf.zip

English

3D PDF

C For support call+1 800 522 6752

Closed Ring Tongue Terminal, 22 – 16 AWG, #10 Stud Size, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin, Partially Insulated



3D

Customer View Model ENG_CVM_CVM_2-36154-2_AE.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-36154-2_AE.3d_stp.zip

English

By downloading the CAD file I accept and agree to the $\ensuremath{\text{Terms}}\xspace$ and $\ensuremath{\text{Conditions}}\xspace$ of use.

Product Specifications Application Specification

English

Product Environmental Compliance MD_2-36154-2_080120181442_dmtec

English

MD_2-36154-2_080120181442_dmtec

English

Agency Approvals

UL Report

English