


SOLISTRAND

TE Internal #: 2-36451-1 Closed Ring Tongue Terminal, 12 – 10 AWG, #10 Stud Size, 5 mm [. 197 in] Stud Diameter, Closed Barrel, Straight, Tin, Uninsulated

View on TE.com >

Terminals & Splices > Ring Terminals



Ring Terminal Product Type: Closed Ring Tongue Terminal

Wire Size: **5180 – 13100 CMA**

Stud Size: **#10**

Features

Product Type Features

Ring Terminal Product Type

Closed Ring Tongue Terminal



Stud Size	#10	
Sealable	No	
Wire Insulation Support Retention Type	Non-Insulation Support	
Configuration Features		
Number of Holes	1	
Body Features		
Product Weight	2.665 g	
Contact Features		
Barrel Type	Closed	
Terminal Orientation	Straight	
Terminal Plating Material	Tin	
Mechanical Attachment		
Wire Insulation Support	Without	
Dimensions		

C For support call+1 800 522 6752

2-36451-1

Closed Ring Tongue Terminal, 12 – 10 AWG, #10 Stud Size, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin, Uninsulated



Wire Size	5180 – 13100 CMA
Stud Diameter	5 mm[.197 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	25.5 mm[1 in]
Barrel Inside Diameter	3.28 mm[.129 in]
Usage Conditions	
Insulation Option	Uninsulated
Operating Temperature Range	170 °C[338 °F]
Operation/Application	
Compatible With Wire Base Material	Copper
	Copper Tin
Compatible With Wire Base Material	
Compatible With Wire Base Material Compatible With Wire Plating Material	
Compatible With Wire Base Material Compatible With Wire Plating Material Industry Standards	Tin
Compatible With Wire Base Material Compatible With Wire Plating Material Industry Standards Government Qualified Terminal	Tin

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Solder Process Capability	Not applicable for solder process capability	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these


2-36451-1

Closed Ring Tongue Terminal, 12 – 10 AWG, #10 Stud Size, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin, Uninsulated



limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought



PIDG SP SPD 22-16COMM22-18MIL6	3522 200R 1% 3W	20VT1 J0=F7814	TERMINAL, PIDG SPR SPD 12-10 10
ETE	ETE	ETE	
TE Part #6-1879234-3 SMF5 200K 5%	TE Part #33462 TERMINAL,SOLIS R 8 5/16	TE Part #34107 SOLIS R 22-16 COMM 22-18 MIL 6	TE Part #1SNK505010R0000 ZS4



Documents

2-36451-1

Closed Ring Tongue Terminal, 12 – 10 AWG, #10 Stud Size, 5 mm [.197 in] Stud Diameter, Closed Barrel, Straight, Tin, Uninsulated



Product Drawings TERMINAL,SOLIS R 12-10 10

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-36451-1_AT.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2-36451-1_AT.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-36451-1_AT.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages RADIATION_RESISTANT_PRE-INSULATED_TERMINALS_SPLICES

English

Product Environmental Compliance Product Compliance

English

Product Compliance

English