

# FASTON | FASTON 250 TE Internal #: 2-480416-5 Crimp Terminal Housings, Receptacle, Receptacle, 1 Position, Straight, UL 94V-0, White, Nylon, Mating Alignment, FASTON 250 View on TE.com >



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal Type: Receptacle

Connector & Housing Type: Receptacle

Number of Positions: 1

Terminal Orientation: Straight

UL Flammability Rating: UL 94V-0

# Features

# Product Type Features

Sealable	No
Connector System	Board-to-Board
Connector & Contact Terminates To	Wire & Cable
Connector & Housing Type	Receptacle
Configuration Features	
Number of Positions	1
Body Features	
Primary Product Color	White
Contact Features	
Terminal Type	Receptacle
Terminal Orientation	Straight
Contact Mating Retention	Without
Mechanical Attachment	
Mating Alignment	With

**C** For support call+1 800 522 6752

# 2-480416-5

Crimp Terminal Housings, Receptacle, Receptacle, 1 Position, Straight, UL 94V-0, White, Nylon, Mating Alignment, FASTON 250



	Calala Maxuat (Eus a Illan air a)
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	Nylon
Usage Conditions	
Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]
Industry Standards	
Glow Wire Rating	GWT 750°C (Without Flame)
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Carton
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235)

### Halogen Content

### Solder Process Capability

(235)

Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC

Not Low Halogen - contains Br or Cl > 900 ppm.

Not reviewed for solder process capability

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**


# 2-480416-5

Crimp Terminal Housings, Receptacle, Receptacle, 1 Position, Straight, UL 94V-0, White, Nylon, Mating Alignment, FASTON 250






# Also in the Series | FASTON 250



PCB Terminals(135)	Quick Disconnects(445)	Splices(4)

# Customers Also Bought



# 2-480416-5

Crimp Terminal Housings, Receptacle, Receptacle, 1 Position, Straight, UL 94V-0, White, Nylon, Mating Alignment, FASTON 250



TE Part #1-176282-5 AMP UNIVERSAL POWER CAP 2P GREEN

# Documents

**CAD** Files

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2-480416-5\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2-480416-5\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2-480416-5\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

**Product Specifications** 

Engineering Report

English

Product Environmental Compliance MD\_2-480416-5\_060620181332\_dmtec

English

MD\_2-480416-5\_060620181332\_dmtec

English