2-487937-4 - ACTIVE

TE Internal #: 2-487937-4 FFC Connectors, Housing, Wire-to-Board, 24 Position, 1.27 mm [.05 in] Centerline, 2 Row, Socket, Package, Mating Retention, Normal, Mating Alignment

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > FFC Connectors > FFC Receptacle Housing: 1.27mm



FFC Connector Product Type: Housing

Connector System: Wire-to-Board

Number of Positions: 24

Centerline (Pitch): 1.27 mm [.05 in]

Number of Rows: 2

All FFC Receptacle Housing: 1.27mm (52)

Features

Product Type Features

| Connector & Housing Type | Receptacle |
|---------------------------------------|---------------|
| FFC Connector Product Type | Housing |
| Connector System | Wire-to-Board |
| Connector & Contact Terminates To | Wire & Cable |
| Insertion Force Type | Normal |
| Configuration Features | |
| Number of Positions | 24 |
| Number of Rows | 2 |
| Electrical Characteristics | |
| Dielectric Withstanding Voltage (Max) | 300 VAC |
| Insulation Resistance | 5000 MΩ |
| Operating Voltage | 100 VAC |
| Body Features | |

C For support call+1 800 522 6752

FFC Connectors, Housing, Wire-to-Board, 24 Position, 1.27 mm [.05 in] Centerline, 2 Row, Socket, Package, Mating Retention, Normal, Mating Alignment



| Primary Product Color | Black |
|-------------------------|----------------------------|
| Contact Features | |
| Contact Type | Socket |
| Mechanical Attachment | |
| Mating Alignment Type | Polarization |
| Mating Retention Type | Latch |
| Mating Retention | With |
| Mating Alignment | With |
| Panel Mount Feature | Without |
| Connector Mounting Type | Cable Mount (Free-Hanging) |
| Housing Features | |
| Housing Material | Polyester |
| Centerline (Pitch) | 1.27 mm[.05 in] |
| FFC Cable Entry | Straight |
| Dimensions | |
| Row-to-Row Spacing | 2.54 mm[.1 in] |
| | |

Usage Conditions

| Operating Temperature Range | -55 – 105 °C[-67 – 221 °F] |
|---|---|
| Operation/Application | |
| Circuit Application | Signal |
| Industry Standards | |
| UL Flammability Rating | UL 94V-0 |
| Packaging Features | |
| Packaging Quantity | 500 |
| Packaging Method | Package |
| Product Compliance For compliance documentation, visit the product page on TE.com> | |
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |

FFC Connectors, Housing, Wire-to-Board, 24 Position, 1.27 mm [.05 in] Centerline, 2 Row, Socket, Package, Mating Retention, Normal, Mating Alignment



| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC |
|--|---|
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| | |

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts










FFC Connectors, Housing, Wire-to-Board, 24 Position, 1.27 mm [.05 in] Centerline, 2 Row, Socket, Package, Mating Retention, Normal, Mating Alignment





Customers Also Bought



Documents

Product Drawings 024 HOUSING FFC 50CL DR LATCH

English

CAD Files

Customer View Model ENG_CVM_CVM_2-487937-4_R.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2-487937-4_R.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-487937-4_R.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

FFC Connectors, Housing, Wire-to-Board, 24 Position, 1.27 mm [.05 in] Centerline, 2 Row, Socket, Package, Mating Retention, Normal, Mating Alignment



Datasheets & Catalog Pages AMPMODU_INTERCONNECTION_SYSTEM_SECTION3AND4

English

Product Specifications

Application Specification

English

Application Specification

English

Agency Approvals CSA Certificate

English