# 2-966067-2 - ACTIVE


TE Internal #: 2-966067-2

Crimp Wire Pins, Tabs & Ferrules, Ferrule, 10 AWG Wire Size, 5 – 6 mm<sup>2</sup> Wire Size, 10382 CMA Wire Size, .25 in [6.3 mm] Barrel Inside Diameter, Closed

### View on TE.com >



Terminals & Splices > Crimp Wire Pins, Tabs & Ferrules



Crimp Wire Terminal Type: Ferrule

Compatible Insulation Diameter Range: 6.2 mm [.244 in ]

Wire Size: 10382 CMA

## Features

## Product Type Features

Sealable

Compatible With Discrete Wire Type	Stranded		
Configuration Features			
Compatible With Wire & Cable Type	Discrete Wire		
Body Features			
Primary Product Color	Yellow		
Contact Features			
Contact Mating Area Length	12 mm[.468 in]		
Crimp Wire Terminal Type	Ferrule		
Barrel Type	Closed		
Terminal Plating Material	Tin		
Terminal Orientation	Straight		
Mechanical Attachment			
Wire Insulation Support	Without		
Dimensions			

### 2-966067-2

Crimp Wire Pins, Tabs & Ferrules, Ferrule, 10 AWG Wire Size, 5 – 6 mm<sup>2</sup> Wire Size, 10382 CMA Wire Size, .25 in [6.3 mm] Barrel Inside Diameter, Closed



2-Wire Size	10 AWG			
Strip Length	14 mm[.551 in]			
Compatible Insulation Diameter Range	6.2 mm[.244 in]			
Wire Size	10382 CMA			
Barrel Inside Diameter	6.3 mm[.25 in]			
Terminal Material Thickness	.2 mm[.007 in]			
Overall Product Length	20 mm[.787 in]			
Usage Conditions				
Insulation Option	Partially Insulated			
Operating Temperature Range				
Operating remperature Range	105 °C[221 °F]			
Packaging Features	105 °C[221 °F]			
	105 °C[221 °F] 100			
Packaging Features				

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

EU ELV DIrective 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2022 (224) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides

## 2-966067-2

Crimp Wire Pins, Tabs & Ferrules, Ferrule, 10 AWG Wire Size, 5 – 6 mm<sup>2</sup> Wire Size, 10382 CMA Wire Size, .25 in [6.3 mm] Barrel Inside Diameter, Closed




on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



# Customers Also Bought



	TE Part #1-770996-2 12P SL 156 HSG W/TABS W/O LR	TE Part #3008293001 VG-95218-T022-C003	TE Part #307176-000 MM-P-490-GD490	TE Part #2296212-2
1				
	TE Part #2296212-4	TE Part #2296212-5		

## Documents

Product Drawings FER,WIRE,PL SLV,6.00/10,L12,YELLOW,LP

English

### 2-966067-2

Crimp Wire Pins, Tabs & Ferrules, Ferrule, 10 AWG Wire Size, 5 – 6 mm<sup>2</sup> Wire Size, 10382 CMA Wire Size, .25 in [6.3 mm] Barrel Inside Diameter, Closed



CAD Files Customer View Model ENG\_CVM\_CVM\_2-966067-2\_B.3d\_igs.zip English 3D PDF English Customer View Model ENG\_CVM\_2-966067-2\_B1.2d\_dxf.zip English Customer View Model ENG\_CVM\_2-966067-2\_B1.3d\_igs.zip English Customer View Model ENG\_CVM\_2-966067-2\_B1.3d\_stp.zip

Datasheets & Catalog Pages BUCHANAN TERMINAL BLOCKS CATALOG - EUROSTYLE TERMINAL BLOCKS

English

Wire Ferrules

English

WIRE END FERRULES

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

English

Agency Approvals CSA Certificate

English