MEAS | MEAS MS5840

TE Internal #: 20000980-00

Digital Pressure and Altimeter Sensor Modules, Absolute, 2000 mbar, Output/Span 24 bit ADC, ± 0.5 mbar, Supply Voltage 1.5 - 3.6

V, MEAS MS5840

View on TE.com >



Sensors > Pressure Sensors > Board Mount Pressure Sensors





Board Level Pressure Sensor Type: Digital Pressure and Altimeter Sensor Modules

Board Level Pressure Sensor Style: Absolute

Pressure: 2000 mbar

Proof Pressure Range: 10 bar Output/Span: 24 bit ADC

Features

Product Type Features	
Board Level Pressure Sensor Type	Digital Pressure and Altimeter Sensor Modules
Board Level Pressure Sensor Style	Absolute
Electrical Characteristics	
Board Level Pressure Sensor Supply Voltage	1.5 – 3.6 V
Dimensions	
Dimensions	3.3 x 3.3 x 1.7 mm[.13 x .13 x .067 in]
Usage Conditions	
Operating Temperature Range	-20 - 85 °C[-40 - 185 °F]
Operation/Application	
Resolution	.016
Output Interface	I2C
Pressure	2000 mbar
Proof Pressure Range	10 bar
Output/Span	24 bit ADC
Board Level Pressure Sensor Accuracy	±0.5mbar

Packaging Features



Board Level Pressure Sensor Package	Surface Mountable
-------------------------------------	-------------------

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions
EU ELV Directive 2000/53/EC	Out of Scope
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUN 2020 (209) SVHC > Threshold: DEHP (14.2% in COMPONENT) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Yet Reviewed for halogen content
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Also in the Series | MEAS MS5840





Customers Also Bought













Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_20000980-00_1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_20000980-00_1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_20000980-00_1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

MS5840-02BA

English

Digital Pressure and Altimeter Sensor Modules, Absolute, 2000 mbar, Output/Span 24 bit ADC, ±0.5mbar, Supply Voltage 1.5 – 3.6 V, MEAS MS5840

