

IMPACT

TE Internal #: 2007705-1 High Speed Backplane Connectors, 90 Position, Mating Alignment, Polarization Mating Alignment Type, 9 Row, 10 Column, PCB Mount Receptacle, IMPACT

View on TE.com >



Connectors > PCB Connectors > Backplane Connectors > High Speed Backplane Connectors



Connector System: Board-to-Board

Number of Positions: 90

Row-to-Row Spacing: 1.35 mm [.053 in]

Mating Alignment: With

Mating Alignment Type: Polarization

Features

Product Type Features

Signal Arrangement

Connector System

PCB Connector Assembly Type

Differential

Board-to-Board

PCB Mount Receptacle

Shroud Style	Unshrouded
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Number of Ground Positions	30
Number of Pairs	30
Stackable	No
Number of Signal Positions	60
Number of Positions	90
Number of Rows	9
Number of Columns	10
PCB Mount Orientation	Right Angle
Guide Location	Unguided
Electrical Characteristics	
Impedance	100 Ω
Operating Voltage	30 VAC

High Speed Backplane Connectors, 90 Position, Mating Alignment, Polarization Mating Alignment Type, 9 Row, 10 Column, PCB Mount Receptacle, IMPACT



Signal Characteristics

Data Rate20 – 25 Gb/sBody FeaturesSincePrimary Product ColorBlackContact FeaturesSincePCB Contact Termination Area Plating Material Thickness1.27 μm[50 μin]Contact LayoutInline				
Primary Product ColorBlackContact FeaturesImage: Termination Area Plating Material Thickness1.27 μm[50 μin]				
Contact Features PCB Contact Termination Area Plating Material Thickness 1.27 μm[50 μin]				
PCB Contact Termination Area Plating Material Thickness 1.27 µm[50 µin]				
	Contact Features			
Contact Lavout				
Contact Type Socket				
Contact Underplating Material Thickness 1.27 µm[50 µin]				
Contact Mating Area Plating Material Thickness .762 µm[30 µin]				
Contact Mating Area Plating Material Gold				
Contact Shape & Form Dual Beam				
Contact Underplating Material Nickel				
PCB Contact Termination Area Plating Material Tin				
Contact Base Material Copper Alloy				
Contact Current Rating (Max) .75 A				



Termination Features

Termination Post & Tail Length	1.2 mm[.047 in]		
Termination Method to Printed Circuit Board	Through Hole - Press-Fit		
Mechanical Attachment			
Guide Hardware	Without		
Mating Retention	Without		
PCB Mount Retention	With		
PCB Mount Retention Type	Action/Compliant Tail		
Mating Alignment	With		
Mating Alignment Type	Polarization		
Connector Mounting Type	Board Mount		
Housing Features	Board Mount		
	Board Mount 0		
Housing Features			
Housing Features Number of Shrouded Sides	0		

High Speed Backplane Connectors, 90 Position, Mating Alignment, Polarization Mating Alignment Type, 9 Row, 10 Column, PCB Mount Receptacle, IMPACT



Centerline (Pitch)	1.9 mm[.075 in]
Dimensions	
Connector Length	19 mm[.748 in]
Connector Height	15 mm[.59 in]
Connector Width	24.2 mm[.953 in]
PCB Thickness (Recommended)	1 mm
PCB Hole Diameter	.39 mm[.015 in]
Row-to-Row Spacing	1.35 mm[.053 in]
Usage Conditions	
Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]
Operation/Application	
Circuit Application	Signal
Industry Standards	
Approved Standards	CSA Certified, UL E28476
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Box & Tube, Package

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	 Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free 	
Halogen Content		
Solder Process Capability	Not applicable for solder process capability	
Product Compliance Disclaimer		

High Speed Backplane Connectors, 90 Position, Mating Alignment, Polarization Mating Alignment Type, 9 Row, 10 Column, PCB Mount Receptacle, IMPACT



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



IMP100S,H,V3P10C,LG,OEW39,4.9	IMP100S,H,V3P10C,LG,REW46,5.5	IMP100S,H,V3P10C,RG,OEW39,4.9	IMP100S,H,V3P10C,UG,OEW46,5.5
TE Part # 2007788-3 IMP100S,H,V3P10C,UG,OEW39,5.5	TE Part # 2007747-1 IMP100S,R,RA6P16C,UG,39	TE Part # 2007776-1 IMP100S,H,V3P10C,LG,OEW46,4.5	TE Part # 2007776-2 IMP100S,H,V3P10C,LG,OEW46,4.9



TE Part # 2007777-2



TE Part # 2007778-3



TE Part # 2007781-2



TE Part # 2007784-3

TE Part # 2007789-1 IMP100S,H,V3P10C,UG,LEW39,4.5 TE Part # 2007790-1 IMP100S,H,V3P10C,UG,DEW39,4.5

TE Part # 2007791-1 IMP100S,H,V3P10C,UG,REW39,4.5 TE Part # 2007786-3 IMP100S,H,V3P10C,UG,DEW46,5.5


& For support call+1 800 522 6752

High Speed Backplane Connectors, 90 Position, Mating Alignment, Polarization Mating Alignment Type, 9 Row, 10 Column, PCB Mount Receptacle, IMPACT






Also in the Series IMPACT



Customers Also Bought



TE Part #1888251-1 Low Profile,RJ45,1x4,GRN/YEL	TE Part #5767096-8 MICT,REC,038,ASY,.025,TAPE,CAP	TE Part #3-770565-1 MINI AMP-IN 22-18 AWG SN/BRASS LF	TE Part #1-1393239-8 RT114615
TE Part #2057402-1 IMP100S,R,RA2P10C,UG,46	TE Part #2057406-1 IMP100S,R,RA2P16C,LG,46	TE Part #6368035-3 2X6 OFFSET STK MJ,SHLD,G/YLED	TE Part #1714846-1 INTCCPU CABLE

Documents

Product Drawings IMP100S,R,RA3P10C,UG,39

English

CAD Files

Customer View Model

ENG_CVM_CVM_2007705-1_B.2d_dxf.zip

High Speed Backplane Connectors, 90 Position, Mating Alignment, Polarization Mating Alignment Type, 9 Row, 10 Column, PCB Mount Receptacle, IMPACT



English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2007705-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2007705-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 7-1773458-1_IMPACT_BACKPLANE_CONNECTOR_SYSTEM_CATALOG

English

Product Specifications

Application Specification

English

Product Environmental Compliance MD_2007705-1_02202014141_dmtec

English

MD_2007705-1_02202014141_dmtec

English

Agency Approvals Agency Approval Document

English