

TE Internal #: 2040852-1 PCB Spring Contact, Y-Clip, Uncompressed Height .8 mm [.031 in], Length 3.4 mm [.134 in], Width 2 mm [.079 in], .5 mm [.02 in] Working Range (Low)

View on TE.com >

connectivity

Connectors > PCB Connectors > Board-to-Board Connectors > PCB Spring Contacts



Spring Finger Type: Y-Clip

Scalable: No

Side Protected: No

Uncompressed Height: .8 mm [.031 in]

Product Length: 3.4 mm [.134 in]

Features

Product Type Features

Spring Finger Type	Y-Clip
Scalable	No
Connector System	Board-to-Board
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Side Protected	No
Number of Positions	1
Contact Features	
Contact Underplating Material	Nickel
PCB Contact Termination Area Plating Material	Gold
Contact Base Material	Copper Alloy
Contact Working Range (Low)	.5 mm[.02 in]
Contact Working Range (High)	.6 mm[.024 in]
Point of Contact Area Plating Material	Gold

PCB Spring Contact, Y-Clip, Uncompressed Height .8 mm [.031 in], Length 3.4 mm [. 134 in], Width 2 mm [.079 in], .5 mm [.02 in] Working Range (Low)



Contact Current Rating (Max)	1.5 A
Dimensions	
Uncompressed Height	.8 mm[.031 in]
Product Length	3.4 mm[.134 in]
Product Width	2 mm[.079 in]
Usage Conditions	
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Quantity	5000
Packaging Method	Tape & Reel
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

PCB Spring Contact, Y-Clip, Uncompressed Height .8 mm [.031 in], Length 3.4 mm [. 134 in], Width 2 mm [.079 in], .5 mm [.02 in] Working Range (Low)



Compatible Parts



-**E** T E


TE Part # 2118903-1 TE Part # 2118908-1 TE Part # 2118908-2 TE Part # 2195728-1 PCB WLAN TRIPLE BAND BULK PCB,WLAN TRIPLE BAND TAPE AND LTE + GNSS ANTENNA LTE/Cell Band Antenna PACKAGED REELED TE REAL POOL -STE TE Part # 1513156-2 TE Part # 1513273-1 TE Part # 1513431-1 TE Part # 1513169-1 PCB ANTENNA SINGLE BAND TAPE PCB SINGLE BAND ANTENNA BULK PCB ANTENNA SINGLE BAND PCB Antenna DUAL BAND US EU AND REELED PACKED TE TE Part # 1513317-1 TE Part # 1513353-1 TE Part # 2118016-1 TE Part # 1513247-1 PCB ANTENNA PENTA BAND PCB ANTENNA SINGLE BAND PCB ANTENNAS, WLAN DUAL BAND PCB US DUAL BAND ANTENNA

Customers Also Bought

C For support call+1 800 522 6752

PCB Spring Contact, Y-Clip, Uncompressed Height .8 mm [.031 in], Length 3.4 mm [. 134 in], Width 2 mm [.079 in], .5 mm [.02 in] Working Range (Low)







TE Part #1878647-3 MQC555GR

Documents

Product Drawings SHIELD FINGER 0820 N-B WITH SE

English

CAD Files

Customer View Model ENG_CVM_CVM_2040852-1_A.2d_dxf.zip

English

3D PDF

3D

Customer View Model ENG_CVM_CVM_2040852-1_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2040852-1_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

C For support call+1 800 522 6752

PCB Spring Contact, Y-Clip, Uncompressed Height .8 mm [.031 in], Length 3.4 mm [. 134 in], Width 2 mm [.079 in], .5 mm [.02 in] Working Range (Low)



Product Specification

Japanese

Product Environmental Compliance TE Material Declaration

English