
# 2041441-2 - ACTIVE

TE Internal #: 2041441-2 DisplayPort Connectors, Vertical, Top, Through Hole - Solder, Gold, Cable-to-Board, 20 Position, .05 in [1 mm] Centerline, Printed Circuit Board

### View on TE.com >

Connectors > Audio & Video Connectors > DisplayPort Connectors



PCB Mount Orientation: Vertical

PCB Mount Location: Top

Termination Method to Printed Circuit Board: Through Hole - Solder

Screw Flange: Without

PCB Mount Retention Type: Boardlock

## Features

## Product Type Features



Connector & Housing Type	Receptacle
Connector System	Cable-to-Board
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
PCB Mount Orientation	Vertical
Number of Positions	20
Body Features	
Shell Plating Material	Nickel
Contact Features	
Contact Base Material	Brass
Contact Mating Area Plating Material	Gold
Contact Current Rating (Max)	.5 A
Termination Features	
Termination Post & Tail Length	2.5 mm[.098 in]

## 2041441-2

DisplayPort Connectors, Vertical, Top, Through Hole - Solder, Gold, Cable-to-Board, 20 Position, .05 in [1 mm] Centerline, Printed Circuit Board



Termination Method to Printed Circuit Board	Through Hole - Solder
Mechanical Attachment	
PCB Mount Location	Тор
Screw Flange	Without
PCB Mount Retention Type	Boardlock
Connector Mounting Type	Board Mount
Housing Features	
Shell Material	Phosphor Bronze
Housing Material	LCP (Liquid Crystal Polymer)
Housing Color	Black
Centerline (Pitch)	1 mm[.05 in]
Usage Conditions	
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]
Operation/Application	
Assembly Process Feature	Without Pick and Place Cover
Circuit Application	Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Box & Tray, Tray
Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

### 2041441-2

DisplayPort Connectors, Vertical, Top, Through Hole - Solder, Gold, Cable-to-Board, 20 Position, .05 in [1 mm] Centerline, Printed Circuit Board



Solder Process Capability

Reflow solder capable to 260°C

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

# **Compatible Parts**



TE Part # 2129320-3 Mini Displayport Reverse Offset

# Customers Also Bought



## 2041441-2

DisplayPort Connectors, Vertical, Top, Through Hole - Solder, Gold, Cable-to-Board, 20 Position, .05 in [1 mm] Centerline, Printed Circuit Board





# Documents

## Product Drawings DP 20P V/T DIP 15u" Au, 2.5 tails

English

#### **CAD** Files

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2041441-2\_D.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2041441-2\_D.3d\_igs.zip

English

Customer View Model

## ENG\_CVM\_CVM\_2041441-2\_D.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Product Specification

English

Product Specification

English