204519-2 - ACTIVE

AMPLIMITE

TE Internal #: 204519-2 Box Mount D-Sub Connectors, Plug, Cable-to-Cable, 62 Position, 4 Connector Shell Size, Pin, Contact Size Size 22, 2.29 mm [.09 in] Centerline

View on TE.com >

Connectors > D-Shaped Connectors > D-Sub Connectors > Box Mount D-Sub Connectors



Connector & Housing Type: Plug Connector System: Cable-to-Cable Number of Positions: 62 Power/Signal/Coax Combination: No

Connector Shell Size: 4

Features

Product Type Features

Connector & Housing Type	Plug
Connector System	Cable-to-Cable
Connector Shell Size	4



Sealable	No
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Number of Positions	62
Power/Signal/Coax Combination	No
Body Features	
Rear Shell Material	Steel
Rear Shell Plating Material	Cadmium
Front Shell Plating Material	Cadmium
Mating Retention Feature Material	Stainless Steel
Front Shell Material	Steel
Contact Features	
	50 µin
Contact Mating Area Plating Material	Gold
Contact Base Material	Copper Alloy

204519-2

Box Mount D-Sub Connectors, Plug, Cable-to-Cable, 62 Position, 4 Connector Shell Size, Pin, Contact Size Size 22, 2.29 mm [.09 in] Centerline



Contact Type	Pin
Contact Size	Size 22
Contact Current Rating (Max)	5 A
Mechanical Attachment	
Mounting Hole Diameter	3.17 mm[.125 in]
Mating Alignment	Without
Housing Features	
Centerline (Pitch)	2.29 mm[.09 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Method	Package
Other	
D-Shaped Connectors Comment	"F" is stamped on connectors following M24308 part number as required. "F"

designates cadmium shell plating., Size 22 pins supplied with plugs are loose piece.

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) SVHC > Threshold: Pb (1.5% in component) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability

C For support call+1 800 522 6752

204519-2

Box Mount D-Sub Connectors, Plug, Cable-to-Cable, 62 Position, 4 Connector Shell Size, Pin, Contact Size Size 22, 2.29 mm [.09 in] Centerline




Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought



Documents

Product Drawings AMPLIMITE,ASY,PLUG,STD,90,4

English

204519-2

Box Mount D-Sub Connectors, Plug, Cable-to-Cable, 62 Position, 4 Connector Shell Size, Pin, Contact Size Size 22, 2.29 mm [.09 in] Centerline



CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_204519-2_L_c-204519-2-l.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_204519-2_L_c-204519-2-l.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_204519-2_L_c-204519-2-l.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

1308940_Sec8_amplimite

English

Product Environmental Compliance TE Material Declaration

English

Instruction Sheets Instruction Sheet (U.S.)

English

Agency Approvals UL Report

English