206852-8 - ACTIVE

AMP | AMP CPC

TE Internal #: 206852-8 Circular Power Connectors, Connector Assembly, 250 VDC, Wire-to-Panel, 9 Position, Printed Circuit Board, Receptacle, Pin, Signal, Black, AMP CPC

View on TE.com >

Connectors > Power Connectors > Circular Power > Circular Power Connectors > Connectors, CPC Series 2, with Posted Contacts



Connector Product Type: Connector Assembly

Operating Voltage: 250 VDC

Connector System: Wire-to-Panel

Number of Positions: 9

Sealable: No

All Connectors, CPC Series 2, with Posted Contacts (8)



Features

Product Type Features

Connector Product Type	Connector Assembly			
Connector System	Wire-to-Panel			
Sealable	No			
Connector & Contact Terminates To	Printed Circuit Board			
Connector & Housing Type	Receptacle			
Circular Connector Shell Type	All Plastic			
Configuration Features				
Number of Positions	9			
Number of Power Positions	0			
Number of Signal Positions	9			
Electrical Characteristics				
Operating Voltage	250 VAC			

Circular Power Connectors, Connector Assembly, 250 VDC, Wire-to-Panel, 9 Position, Printed Circuit Board, Receptacle, Pin, Signal, Black, AMP CPC



Contact Features

Reverse Gender	No				
Contact Type	Pin				
Contact Current Rating (Max)	7.5 A				
Contact Protection	With				
Termination Features					
Termination Method to Printed Circuit Board	Through Hole - Solder				
Mechanical Attachment					
Mating Alignment Type	Keyed				
Mating Alignment	With				
Panel Mount Feature Type	Flange with Threaded Inserts				
Mating Retention Type	Threaded Coupling				
Connector Mounting Type	Panel Mount				
Mating Retention	With				
Panel Mount Feature	With				
Housing Features					

Housing Color

Black

Housing Material	Thermoplastic				
Circular Connector Shell Size	11				
Dimensions					
Compatible Insulation Diameter Range	1.73 mm[.068 in]				
Usage Conditions					
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]				
Fluid Resistance	None				
Operation/Application					
Circuit Application	Signal				
Shielded	No				
Industry Standards					
UL Flammability Rating	UL 94V-0				
Packaging Features					
Packaging Quantity	40				
Packaging Method	Bag				

C For support call+1 800 522 6752

Circular Power Connectors, Connector Assembly, 250 VDC, Wire-to-Panel, 9 Position, Printed Circuit Board, Receptacle, Pin, Signal, Black, AMP CPC



Product Compliance For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant with Exemptions	
EU ELV Directive 2000/53/EC	Compliant with Exemptions	
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Pb (3.7% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.	
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.	
Solder Process Capability	Not applicable for solder process capability	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts




Circular Power Connectors, Connector Assembly, 250 VDC, Wire-to-Panel, 9 Position, Printed Circuit Board, Receptacle, Pin, Signal, Black, AMP CPC






Also in the Series | AMP CPC



Connector Backshells(56)	Connector Caps & Covers(16)	Connector Seals & Cavity Plugs(36)	Connector Strain Relief(6)
-			



Customers Also Bought



Circular Power Connectors, Connector Assembly, 250 VDC, Wire-to-Panel, 9 Position, Printed Circuit Board, Receptacle, Pin, Signal, Black, AMP CPC







Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_206852-8_AL.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_206852-8_AL.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_206852-8_AL.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages AMP Circular Connectors for Commercial Signal & Power Applications

English

Product Specifications Connector, Circular Plastic English

Product Specification

English