



Connectors > Rectangular Connectors > Rectangular Connector Housings



Connector System: **Wire-to-Wire**

Number of Positions: **1**

Centerline (Pitch): **5 mm [.197 in]**

Number of Rows: **1**

Housing Material: **PA 66**

Features

Product Type Features

Compatible With Discrete Wire Type	Stranded
Connector System	Wire-to-Wire
Connector & Housing Type	Plug, Receptacle
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Compatible With Wire & Cable Type	Discrete Wire
Number of Positions	1
Number of Rows	1

Electrical Characteristics

Operating Voltage	600 VAC
-------------------	---------

Contact Features

Contact Layout	Inline
Contact Type	Pin, Socket



Contact Current Rating (Max)	14 A
------------------------------	------

Mechanical Attachment

Connector Mounting Type	Cable Mount (Free-Hanging)
-------------------------	----------------------------

Housing Features

Housing Color	Black
Centerline (Pitch)	5 mm[.197 in]
Housing Material	PA 66

Dimensions

Product Length	34.42 mm
Row-to-Row Spacing	5 mm[.197 in]

Usage Conditions

Operating Temperature Range	-55 – 130 °C[-67 – 266 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Power & Signal
---------------------	----------------

Industry Standards

CSA Rating	LR 16455
Agency/Standard	CSA, UL, VDE
Approved Standards	UL E28476
UL Flammability Rating	UL 94V-0

Packaging Features

Packaging Quantity	1
Packaging Method	Package

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC



Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>


Compatible Parts



TE Part # 207535-1

HSG,SINGLE POSN FREE HANGING

Also in the Series | AMP Metrimate

 Connector Strain Relief(5)	 PCB Headers & Receptacles(83)	 Rectangular Connector Hardware(3)	 Rectangular Connector Housings(35)
 Rectangular Connector Keying Plugs(1)	 Rectangular Contact Inserts(4)	 Rectangular Power Connectors(2)	 Standard Rectangular Connectors(5)



Customers Also Bought




TE Part #182921-1
CPC SQ FL. RCPT REV SEX




TE Part #282108-1
AMP SUPERSEAL 1.5MM,
CONNECTOR HOUSING



TE Part #200336-1
CONTACT PIN ASSY.



TE Part #9-160583-5
250 PIDG FASTON REC



TE Part #282466-1
MINI MIC RCPT CONTACT >1,5-



TE Part #1241380-2
AMP MCP 1.5K, CONTACT, SWS



TE Part #YDTS20W17-35SNV001
RECP ASSY



TE Part #YDTS20W21-35SNV001
RECP ASSY



TE Part #8-5227079-2
COMM BNC PLUG

Documents

Product Drawings
HSG,SINGLE POSN FREE HANGING
English

CAD Files
Customer View Model
ENG_CVM_207535-1_F.3d_igs.zip
English

Customer View Model
ENG_CVM_207535-1_F.3d_stp.zip
English

Customer View Model
ENG_CVM_207535-1_F.2d_dxf.zip
English

3D PDF
English
3D PDF



3D

Customer View Model

[ENG_CVM_CVM_207535-1_Z.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_207535-1_Z.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_207535-1_Z.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

[METRIMATE_PIN_SOCKET_CATALOG](#)

English

Product Specifications

[Application Specification](#)

English

[Application Specification](#)

English

[METRIMATE Self-Locking Connectors](#)

Japanese

[Application Specification](#)

Japanese

Product Environmental Compliance

[Product Compliance](#)

English

[Product Compliance](#)

English

Agency Approvals

[UL Report](#)

English