

207603-1 ✓ ACTIVE

METRIMATE

TE Internal #: 207603-1

Strain Relief Cover, Nylon, Black, 18 Position

[View on TE.com >](#)



Connectors > Connector Accessories > Connector Strain Relief



Strain Relief Accessory Type: **Strain Relief Cover**

Primary Product Material: **Nylon**

Primary Product Color: **Black**

Number of Positions: **18**

Sealable: **No**

Features

Product Type Features

Strain Relief Accessory Type	Strain Relief Cover
Sealable	No

Configuration Features

Number of Positions	18
---------------------	----

Body Features

Primary Product Material	Nylon
Primary Product Color	Black

Usage Conditions

Operating Temperature Range	-55 – 130 °C[-67 – 266 °F]
-----------------------------	----------------------------

Industry Standards

Agency/Standard	CSA, UL, VDE
-----------------	--------------

Packaging Features

Packaging Method	Bag
Packaging Quantity	1

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



Customers Also Bought



TE Part #320555
KNIFE DISCONNECT,N PIDG 22-16



TE Part #6609069-4
25FC10 J0=F7750



TE Part #207377-1
HSG, PLUG 6 POSN, METRIMATE



TE Part #1658622-2
14 NOVO MIL/CTR 30DP, LEAD FREE




TE Part #173925-1
3 P ACTION PIN UMNL




TE Part #1-201046-2
SERIES "M" MIN RECT GUIDE PIN



TE Part #202173-8
GUIDE PIN ASSY



TE Part #1879927-9
EP 7W 68R 5%



TE Part #626056
FASTIN-ON 110 HOUSING REC PA66
NATURAL

Documents

Product Drawings

[METRIMATE, STR REL KIT, 18P](#)

English

CAD Files

Customer View Model

[ENG_CVM_207603-1_D.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_207603-1_D.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_207603-1_D.2d_dxf.zip](#)

English

[3D PDF](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages



METRIMATE_PIN_SOCKET_CATALOG

English

Product Specifications

Application Specification

English

Application Specification

English

METRIMATE Self-Locking Connectors

Japanese

Application Specification

Japanese

Product Environmental Compliance

MD_207603-1_08192015316_dmtec

English

MD_207603-1_08192015316_dmtec

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals

CSA Certificate

English