
208264-2 - ACTIVE

AMP

TE Internal #: 208264-2 Rack & Panel Contacts, Socket, Size 22 Contact Size, Standard, Length .64 in [16.26 mm], Gold, Wire & Cable View on TE.com >



Connectors > PCB Connectors > Backplane Connectors > Rack & Panel Backplane > Rack & Panel Contacts



Contact Type: Socket

Contact Size: Size 22

Rack & Panel Connector Contact Style: Standard

Contact Length: 16.26 mm [.64 in]

Contact Mating Area Plating Material: Gold

Features

Product Type Features

Connector & Contact Terminates To

Wire & Cable

Body Features

Contact Removal Style

Rear Release

Contact Features

| Contact Mating Area Plating Material Thickness | 1.27 μm |
|--|------------------|
| Contact Orientation | Straight |
| Contact Base Material | Copper Alloy |
| Contact Type | Socket |
| Contact Size | Size 22 |
| Rack & Panel Connector Contact Style | Standard |
| Contact Length | 16.26 mm[.64 in] |
| Contact Mating Area Plating Material | Gold |
| Termination Features | |
| Termination Method to Wire & Cable | Crimp |
| Mechanical Attachment | |
| Contact Retention Type Within Housing | Retention Clip |
| Dimensions | |
| Wire Size | .12 – .4 mm² |

208264-2

Rack & Panel Contacts, Socket, Size 22 Contact Size, Standard, Length .64 in [16.26 mm], Gold, Wire & Cable



Identification Marking

| Contact Color Code | Green/Orange |
|--------------------|--------------|
| Packaging Features | |
| Packaging Method | Bag |

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
|---|---|
| EU ELV Directive 2000/53/EC | Compliant with Exemptions |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUL 2021 (219) SVHC > Threshold: Pb (.6% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per |

homogenous material. Also BFR/CFR/PVC

Free

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts


208264-2

Rack & Panel Contacts, Socket, Size 22 Contact Size, Standard, Length .64 in [16.26 mm], Gold, Wire & Cable





Customers Also Bought



LE

| 5200-4-772-22-9 | |
|-----------------|--|
|-----------------|--|

Documents

Product Drawings SKT CONTACT SZ 22

English

CAD Files

Customer View Model ENG_CVM_208264-2_L.3d_igs.zip

English

Customer View Model

ENG_CVM_208264-2_L.3d_stp.zip

English

Customer View Model

ENG_CVM_208264-2_L.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

208264-2

Rack & Panel Contacts, Socket, Size 22 Contact Size, Standard, Length .64 in [16.26 mm], Gold, Wire & Cable



Datasheets & Catalog Pages

ARINC 600 Next Generation Receptacle Connector

English

Instruction Sheets

Instruction Sheet (U.S.)

English

AMP* ARINC 600 CONNECTORS (REAR-RELEASE CONTACTS)

English