

### Generation Y Connector System

TE Internal #: 2098660-1 Automotive Connector Caps & Covers, Cover - Cable Exit, Black, PA GF, 32 Position, -40 – 257 °F [-40 – 125 °C], Generation Y Connector System

View on TE.com >



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers



Protection & Strain Relief Accessory Type: Cover - Cable Exit

Strain Relief: Without

Primary Product Color: Black

Primary Product Material: PA GF

Number of Positions: 32

### Features

### **Product Type Features**

Protection & Strain Relief Accessory Type

### Configuration Features

Compatible With Connector Code

Cover - Cable Exit

А

Number of Positions
---------------------

### **Body Features**

Primary Product Color	Black
Primary Product Material	PAGF
Mechanical Attachment	
Strain Relief	Without
Dimensions	
Compatible Cable Bundle Diameter Range	8.7 mm[.343 in]
Usage Conditions	
Operating Temperature (Max)	70 °C, 75 °C, 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C[158 °F][167 ° F][176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F]
Operating Temperature Range	-40 – 125 °C[-40 – 257 °F]
Industry Standards	

**S** For support call+1 800 522 6752

### 2098660-1

Automotive Connector Caps & Covers, Cover - Cable Exit, Black, PA GF, 32 Position, -40 – 257 °F [-40 – 125 °C], Generation Y Connector System



UL Flammability Rating	UL 94HB
Packaging Features	
Packaging Quantity	1
Packaging Method	Package
Other	
Serviceable	Yes
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**

### 2098660-1

Automotive Connector Caps & Covers, Cover - Cable Exit, Black, PA GF, 32 Position, -40 – 257 °F [-40 – 125 °C], Generation Y Connector System





# Also in the Series | Generation Y Connector System





PCB Headers & Receptacles(15)


## Customers Also Bought



### 2098660-1

Automotive Connector Caps & Covers, Cover - Cable Exit, Black, PA GF, 32 Position, -40 – 257 °F [-40 – 125 °C], Generation Y Connector System





### Documents

### Product Drawings 32P Shield, GY HandMate

English

### **CAD** Files

Customer View Model ENG\_CVM\_CVM\_2098660-1\_A.2d\_dxf.zip

English

### 3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_2098660-1\_A.3d\_igs.zip

English

Customer View Model

### ENG\_CVM\_CVM\_2098660-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Instruction Sheets Instruction Sheet (U.S.)

English