



Connectors > PCB Connectors > PCB Headers & Receptacles > High-Voltage Header



Connector System: **Wire-to-Wire**

Number of Positions: **2**

Centerline (Pitch): **10.4 mm [.409 in]**

Sealable: **Yes**

Number of Rows: **1**

[All High-Voltage Header \(34\)](#)

Features

Product Type Features

Mixed & Hybrid Header	Yes
Connector Shape	Rectangular
PCB Connector Assembly Type	PCB Mount Header
Header Type	Fully Shrouded
Connector System	Wire-to-Wire
Sealable	Yes

Configuration Features

Number of Sections	1
Number of Signal Positions	2
Number of Positions	2
Number of Rows	1

Body Features

Primary Product Color	Orange
Connector & Keying Code	A

Contact Features

Contact Type	Tab
Mating Tab Width	2.8 mm[.11 in]



Mating Tab Thickness	.8 mm[.031 in]
----------------------	----------------

Mechanical Attachment

Mounting Holes	Without
Mating Retention	With
Mating Alignment	With
PCB Mount Alignment	Without
Panel Mount Feature	Without
PCB Mount Retention	Without
Mating Retention Type	Locking Interface

Housing Features

Centerline (Pitch)	10.4 mm[.409 in]
--------------------	------------------

Dimensions

Connector Length	45.4 mm[1.78 in]
Connector Width	40.6 mm[1.59 in]

Operation/Application

Shielded	Yes
Circuit Application	Signal

Packaging Features

Packaging Type	Package
Packaging Quantity	1

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Octamethylcyclotetrasiloxane (D4) (.5% in Component Part) Dodecamethylcyclohexasiloxane (D6) (.5% in Component Part)



Decamethylcyclopentasiloxane (D5) (.5% in Component Part)

Article Safe Usage Statements:
Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.








Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free
-----------------	--

Solder Process Capability	Not applicable for solder process capability
---------------------------	--

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) ‘Guidance on requirements for substances in articles’ posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 4-2103177-1 PLUG ASSY, KEY A, FA,CPA, HVA280-2PHI XE</p>	 <p>TE Part # 1-2103177-1 PLUG ASSY, KEY A, TA, HVA280-2PHI XE</p>	 <p>TE Part # 2103149-1 PLUG, HVIL ONLY, KEY A, HVA280-2PHI</p>	 <p>TE Part # 1587733-1 SHIPPING CAP, CAP, HVA280-3PM</p>
 <p>TE Part # 2103191-1 CAP SUBASSY, KEY A, HVA280-2PHI</p>	 <p>TE Part # 5-2103177-1 PLUG ASSY, KEY A, FA, HVA280-2PHI XE</p>	 <p>TE Part # YHV280-2PM-S-4MM-A HVA280-2PHM,SHUNTED,4SQMM, KEY A</p>	 <p>TE Part # YHVA280-2PHI-4MM-A HVA280-2PHI XE,4SQMM,KEY A</p>

Also in the Series | HVA 280



Automotive Connector Caps & Covers (5)

Automotive Connector EMC Shielding (15)

Automotive Housings(78)

Connector Seals & Cavity Plugs(8)

Electric, Hybrid & Fuel Cell Cable Assemblies(6)

High Voltage Wire Processing Equipment(7)

Other Automotive Connector Accessories(37)

PCB Headers & Receptacles(37)

Customers Also Bought

TE Part #2103124-5
High-Voltage Header

TE Part #640253-2
RING TONGUE .190 16-12 AWG TPBR

TE Part #150520-2
RT .197 DIA TERMINAL 16-13 AWG TPBR

TE Part #1-2321899-1
HEADER ASSEMBLY FOR HVA630 3WAY

TE Part #2103245-1
Inner Housing, Split Hdr, Key A, HVA280

TE Part #2325098-6
MNTG CLIP,ENETSEAL PLUS

TE Part #2-192000-3
CONTACT BAND; FEMALE,62 LOUVER

TE Part #1-2334970-2
2POS,PIN DIA 8.0,PIN HSG,ASSY

Documents

Product Drawings
HVA280 2P HEADER ASSY, KEY A

English

- CAD Files
- 3D PDF
- 3D
- Customer View Model
- ENG_CVM_CVM_2103124-1_B.2d_dxf.zip



English

Customer View Model

[ENG_CVM_CVM_2103124-1_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2103124-1_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English