
2103177-4 - ACTIVE

TE Internal #: 2103177-4 Housing for Female Terminals, 2 Position, .41 in [10.4 mm] Centerline, Sealable, Orange, Wire & Cable, Cable Mount (Free-Hanging)

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings



Number of Positions: 2

Connector & Housing Type: Housing for Female Terminals

Centerline (Pitch): 10.4 mm [.41 in]

Sealable: Yes

Mating Tab Width: 2.8 mm [.11 in]

Features

Product Type Features

Mixed & Hybrid Connector	No	
Connector Shape	Rectangular	
Connector & Housing Type	Housing for Female Terminals	
Sealable	Yes	
Connector & Contact Terminates To	Wire & Cable	
Primary Locking Feature	Integrated in Housing	
Configuration Features		
Number of Positions	2	
Number of Rows	1	
Body Features		
Primary Product Color	Orange	
Connector & Keying Code	D	
Contact Features		
Contact Size	2.8mm	

2103177-4

Housing for Female Terminals, 2 Position, .41 in [10.4 mm] Centerline, Sealable, Orange, Wire & Cable, Cable Mount (Free-Hanging)



Contact Type	Receptacle
Mating Tab Width	2.8 mm[.11 in]
Contact Current Rating (Max)	40 A
Mechanical Attachment	
Mating Alignment Type	Keyed
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)
Housing Features	
Housing Material	PA 66 GF
Centerline (Pitch)	10.4 mm[.41 in]
Usage Conditions	
Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature (Max) Operating Temperature Range	125 °C[257 °F] -40 – 125 °C[-40 – 257 °F]
Operating Temperature Range	

Other

Yes

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant		
EU ELV Directive 2000/53/EC	Compliant		
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC		
Halogen Content	Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free		
Solder Process Capability	Not reviewed for solder process capability		

Product Compliance Disclaimer

2103177-4

Housing for Female Terminals, 2 Position, .41 in [10.4 mm] Centerline, Sealable, Orange, Wire & Cable, Cable Mount (Free-Hanging)



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought









	= TE	=TE	The set of and
TE Part #9-2141158-2 CU ALLOY,SHIELD,8MM HV,CONN HSG,90 DEG	TE Part #953381-1 LOCKING DEVICE FOR 6W MQS	TE Part #1743161-2 CLIP HSG FOR 025 CONN 12P	TE Part #1-962919-1 TIMER, RECEPTACLE AND TAB
	Semanal And A		-TTE
TE Part #936196-1 090III 12P PLUG ASSY	TE Part #776181-1 0.040 MULTILOCK RCPT	TE Part #1743163-1 2.8MM MCP-E N-SLD REC(L) CONT	TE Part #4-2103177-4 PLUG ASSY, KEY D, FA,CPA, HVA280- 2PHI XE

2103177-4

Housing for Female Terminals, 2 Position, .41 in [10.4 mm] Centerline, Sealable, Orange, Wire & Cable, Cable Mount (Free-Hanging)



TE Part #368269-1

CLIP FOR 090 II MLC(KEY HOLE)

Documents

Product Drawings

PLUG ASSY, KEY D, TA, CPA, HVA280-2PHI XE

English

PLUG ASSY, KEY D, TA, CPA, HVA280-2PHI XE

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2103177-4_B_c-2103177-4-b.2d_dxf.zip

English

Customer View Model ENG_CVM_CVM_2103177-4_B_c-2103177-4-b.3d_igs.zip

English

Customer View Model ENG_CVM_CVM_2103177-4_B_c-2103177-4-b.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English