2106150-1 × OBSOLETE

TE Internal #: 2106150-1 TE Internal Description: Assem, End Cap Connector, G13 Style, SMT

View on TE.com >



Connectors > Lighting Connectors > Ballast Connectors



Lighting Product Type: Connector Lighting Connector Type: Header Number of Positions: 2 Centerline (Pitch): 12.7 mm [.5 in] Sealable: No

Features

Product Type Features

| Lighting Product Type | Connector |
|-----------------------------------|-----------------------|
| Lighting Connector Type | Header |
| Sealable | No |
| Connector & Contact Terminates To | Printed Circuit Board |

Configuration Foster

| Configuration Features | |
|---|------------------------------|
| Number of Positions | 2 |
| Electrical Characteristics | |
| Operating Voltage (Max) | 250 VDC |
| Body Features | |
| Primary Product Material | LCP (Liquid Crystal Polymer) |
| Primary Product Color | Natural |
| Contact Features | |
| Contact Layout | Inline |
| Wire Contact Termination Area Plating Thickness | 5.06 μm[199.21 μin] |
| Wire Contact Termination Area Plating Material Finish | Matte |
| Wire Contact Termination Area Plating Material | Tin |
| Contact Mating Area Plating Material Thickness | 5.06 μm[199.21 μin] |
| Contact Mating Area Plating Material | Tin |
| Contact Mating Area Plating Material Finish | Matte |

2106150-1

Assem, End Cap Connector, G13 Style, SMT



| Contact Current Rating (Max) | 2 A |
|---|----------------------------|
| Termination Features | |
| Termination Method to Printed Circuit Board | Surface Mount |
| Mechanical Attachment | |
| PCB Mount Alignment | Without |
| PCB Mount Retention | With |
| Housing Features | |
| Centerline (Pitch) | 12.7 mm[.5 in] |
| Dimensions | |
| Connector Length | 26.48 mm[1.042 in] |
| Post-Mating Assembly Measurement | 14.25 mm[.561 in] |
| Connector Height | 4.13 mm[.163 in] |
| Connector Width | 16.5 mm[.649 in] |
| Usage Conditions | |
| Operating Temperature Range | -40 - 120 °C[-40 - 248 °F] |
| Industry Standards | |
| Approved Standards | CSA C22.2 No. 250, UL 1993 |
| | |

UL Flammability Rating

UL 94V-0

Packaging Features

Packaging Method

SMT Pocket Tape

Product Compliance

For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU | Not Yet Reviewed |
|---|--|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUN 2016 (169) SVHC > Threshold: Not Yet Reviewed |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC |

Assem, End Cap Connector, G13 Style, SMT



Free

Solder Process Capability

Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Customers Also Bought



TE Part #1-2834331-2 Buchanan WireMate ITB Poke-In TE Part #4-2325807-3 LUMAWISE Z45 LED HOLDER 19X19 typB LEDiL TE Part #163681-1 03P.CIS FEMALE CONN TE Part #7-2176072-0 CPF 0201 261R 0.5% 25PPM 1K RL



Documents

CAD Files
Customer View Model
ENG_CVM_CVM_2106150-1_A.3d_igs.zip
English
Customer View Model
ENG_CVM_CVM_2106150-1_A.3d_stp.zip
English
Customer View Model

C For support call+1 800 522 6752

Assem, End Cap Connector, G13 Style, SMT



ENG_CVM_CVM_2106150-1_A.2d_dxf.zip

English

3D PDF

3D

By downloading the CAD file I accept and agree to the $\ensuremath{\text{Terms}}\xspace$ and $\ensuremath{\text{Conditions}}\xspace$ of use.

Datasheets & Catalog Pages G13_STYLE_SMT_ASSEMBLY_AND_END_CAP_COVER

English

Product Specifications Application Specification

English

Instruction Sheets

Instruction Sheet (U.S.)

English

Agency Approvals ITS Report

English