
2108965-2 - ACTIVE

TE Internal #: 2108965-2 Flexible PCB (FPC) Antenna, Wide Band, UWB, Internal/Embedded Mount, Adhesive, MHF1 / UMCC / U.FL, Omnidirectional, Gain 3 < 6 dBi

View on TE.com >

Antennas



Wireless Application: UWB Mounting Location: Internal/Embedded

Mounting Type: Adhesive

Antenna Termination: MHF, MHF1, U.FL, UMCC

Antenna Type: Flexible PCB (FPC)

Features

Product Type Features



Antenna Termination	MHF, MHF1, U.FL, UMCC
Configuration Features	
Antenna Style	Flexible PCB
Mounting Location	Internal/Embedded
Antenna Type	Flexible PCB (FPC)
Band Type	Wide Band
Electrical Characteristics	
Antenna Operation	Passive
VSWR (Max)	<2.1:1
Impedance	50 Ω
Signal Characteristics	
Gain (Max)	4 dB
Frequency Band	5900 – 8500 MHz
Peak Gain	3 < 6 dBi

2108965-2

Flexible PCB (FPC) Antenna, Wide Band, UWB, Internal/Embedded Mount, Adhesive, MHF1 / UMCC / U.FL, Omnidirectional, Gain 3 < 6 dBi



Body Features

Product Weight	.67 g[.024 oz]
Mechanical Attachment	
Polarization	Linear
Mounting Type	Adhesive
Dimensions	
Cable Length	.1 m[.32 ft]
Product Width	18.6 mm[.732 in]
Product Length	15.6 mm[.614 in]
Product Height	.15 mm[.006 in]
Operation/Application	
Wireless Standard	UWB
Directionality	Omnidirectional
Industry Standards	
Wireless Application	UWB
Primary Application	UWB
Product Availability	
Applicable Region	Global
Packaging Features	
Packaging Method	Bag & Box
Other	
Precision Level	Standard
Product Compliance	
For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC

2108965-2

Flexible PCB (FPC) Antenna, Wide Band, UWB, Internal/Embedded Mount, Adhesive, MHF1 / UMCC / U.FL, Omnidirectional, Gain 3 < 6 dBi



Halogen Content

BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



TE Part # 2337019-1 UMCC Micro-Coax receptacle, Gen 1

Documents

Product Drawings FPC ANT, MHF, 100mm, UWB 6~8.5 GHz

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2108965-2_1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2108965-2_1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2108965-2_1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

2108965-2

Flexible PCB (FPC) Antenna, Wide Band, UWB, Internal/Embedded Mount, Adhesive, MHF1 / UMCC / U.FL, Omnidirectional, Gain 3 < 6 dBi



Datasheets & Catalog Pages

2108965-X Antennas Application Notes

English

FPC ANT, MHF/MHF4L, UWB 6-8.5GHz

English

Product Specifications

Product Specification

English

Product Environmental Compliance Product Compliance

English

Product Compliance

English