# 2112166-3 - ACTIVE

## AMP | LEAVYSEAL TE Internal #: 2112166-3 Other Automotive Connector Accessories, Mounting Clip, PA GF, Gray, -40 – 120 °C [-40 – 248 °F], LEAVYSEAL

#### View on TE.com >



Connectors > Automotive Connectors > Automotive Connector Accessories > Other Automotive Connector Accessories > LEAVYSEAL Locking Slides



Automotive Connector Accessory Type: Mounting Clip

Primary Product Material: PA GF

Primary Product Color: Gray

Operating Temperature Range: -40 – 120 °C [-40 – 248 °F]

All LEAVYSEAL Locking Slides (7)

### Features

### Product Type Features

Automotive Connector Accessory Type	Mounting Clip
Body Features	
Primary Product Material	PAGF
Primary Product Color	Gray
Usage Conditions	
Compatible With Connector Style	Housing For Male Terminals
Operating Temperature Range	-40 – 120 °C[-40 – 248 °F]
Industry Standards	
Agency/Standard	DIN, IEC, ISO
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	1000
Packaging Method	Box

### 2112166-3

Other Automotive Connector Accessories, Mounting Clip, PA GF, Gray, -40 – 120 °C [-40 – 248 °F], LEAVYSEAL




#### Other

Serviceable	Yes
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**




Also in the Series | LEAVYSEAL

**C** For support call+1 800 522 6752

## 2112166-3

Other Automotive Connector Accessories, Mounting Clip, PA GF, Gray, -40 – 120 °C [-40 – 248 °F], LEAVYSEAL







PCB Headers & Receptacles(16)

## Customers Also Bought



LEAVYSEAL Locking Slides

Heavy Duty Sealed Connector Series Cap Heavy Duty Sealed Connector Series Fixing Slides

LEAVYSEAL Mounting Accessories



## Documents

Product Drawings SLIDE,FOR 21POS.
English
CAD Files 3D PDF
3D
Customer View Model

ENG\_CVM\_CVM\_2112166-3\_A.2d\_dxf.zip

**C** For support call+1 800 522 6752

## 2112166-3

Other Automotive Connector Accessories, Mounting Clip, PA GF, Gray, -40 – 120 °C [-40 – 248 °F], LEAVYSEAL



English

Customer View Model ENG\_CVM\_CVM\_2112166-3\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2112166-3\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages CONNECTOR SELECTOR

English

Product Specifications Application Specification

German