211538-1 ✓ ACTIVE

AMPLIMITE

TE Internal #: 211538-1

Box Mount D-Sub Connectors, Receptacle, Cable-to-Cable, 44 Position, 3 Connector Shell Size, Socket, Contact Size Size 22, 2.29

mm [.09 in] Centerline

View on TE.com >



Connectors > D-Shaped Connectors > D-Sub Connectors > Box Mount D-Sub Connectors



Connector & Housing Type: Receptacle

Connector System: Cable-to-Cable

Number of Positions: 44

Power/Signal/Coax Combination: No

Connector Shell Size: 3

Features

Product Type Features

Connector & Housing Type	Receptacle
Connector System	Cable-to-Cable
Connector Shell Size	3
Sealable	No
Connector & Contact Terminates To	Wire & Cable

Configuration Features

Number of Positions	44
Power/Signal/Coax Combination	No

Body Features

Rear Shell Material	Steel
Rear Shell Plating Material	Zinc
Front Shell Plating Material	Cadmium
Front Shell Material	Steel

Contact Features

50 μin
Gold
Beryllium Copper
Socket



Contact Size	Size 22
Contact Current Rating (Max)	5 A
Mechanical Attachment	
Mating Alignment	Without
Housing Features	
Centerline (Pitch)	2.29 mm[.09 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	
Packaging Method	Carton
Other	
D-Shaped Connectors Comment	Without Contact(s)

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUL 2017 (174) SVHC > Threshold: Cd (1.7%) Article Safe Usage Statements: Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these



limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Documents

Product Drawings

AMPLIMITE, ASY, RCPT, FB, 90, 3

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_211538-1_M.2d_dxf.zip

Box Mount D-Sub Connectors, Receptacle, Cable-to-Cable, 44 Position, 3 Connector Shell Size, Socket, Contact Size Size 22, 2.29 mm [.09 in] Centerline



English

Customer View Model

ENG_CVM_CVM_211538-1_M.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_211538-1_M.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Agency Approvals

UL Report

English