# 2118310-1 - ACTIVE

TE Internal #: 2118310-1 PCB Antenna, Multi Band, Cat-M/NB-IoT / Wi-Fi / Cellular, Internal /Embedded Mount, Through-Hole/Tab Mount, Omnidirectional, Gain 3 < 6 dBi

#### View on TE.com >

Antennas



Wireless Application: Cat-M/NB-IoT, Cellular, ISM, Wi-Fi

Mounting Location: Internal/Embedded

Mounting Type: Through-Hole/Tab Mount

Antenna Type: PCB

Directionality: **Omnidirectional** 

### Features

### **Configuration Features**



Antenna Style	PCB
Mounting Location	Internal/Embedded
Antenna Type	PCB
Band Type	Multi Band
Electrical Characteristics	
Antenna Operation	Passive
VSWR (Max)	<3:1
Impedance	50 Ω
Signal Characteristics	
Gain (Max)	3.5 dB
Nominal Frequency Range	698 – 2700
Peak Gain	3 < 6 dBi
Body Features	
Product Weight	2.55 g[.09 oz]

PCB Antenna, Multi Band, Cat-M/NB-IoT / Wi-Fi / Cellular, Internal/Embedded Mount, Through-Hole/Tab Mount, Omnidirectional, Gain 3 < 6 dBi



### Mechanical Attachment

Polarization	Linear
Mounting Type	Through-Hole/Tab Mount
Dimensions	
Product Width	10.56 mm[.416 in]
Product Length	74 mm[2.913 in]
Product Height	1.57 mm[.062 in]
Operation/Application	
Wireless Standard	LTE, UMTS, US Dual, EU Triband & WCDMA
Directionality	Omnidirectional
Industry Standards	
Wireless Application	Cat-M/NB-IoT, Cellular, ISM, Wi-Fi
Primary Application	Cat-M/NB-IoT, Cellular, Wi-Fi
Product Availability	
Applicable Region	Americas, EU, Global
Packaging Features	

Packaging Method	Bag & Box
Other	
Precision Level	Standard
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Melamine (.38% in Component Part) Article Safe Usage Statements: Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

PCB Antenna, Multi Band, Cat-M/NB-IoT / Wi-Fi / Cellular, Internal/Embedded Mount, Through-Hole/Tab Mount, Omnidirectional, Gain 3 < 6 dBi



Halogen Content

Low Bromine/Chlorine - Br and Cl < 900 ppm per homogenous material. Also BFR /CFR/PVC Free


Solder Process Capability

Hand solderable with lead free solder

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**






### **Customers Also Bought**

PCB Antenna, Multi Band, Cat-M/NB-IoT / Wi-Fi / Cellular, Internal/Embedded Mount, Through-Hole/Tab Mount, Omnidirectional, Gain 3 < 6 dBi





### Documents

Product Drawings 4G World Band, MetaSpan, Tab Mt. PCB

English

CAD Files

3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_2118310-1\_C.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2118310-1\_C.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2118310-1\_C.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages

Antenna Data Sheet 698-960, 1710-2170 & 2300-2700 MHz LTE/Cell Band Antenna

English

Product Specifications

Product Specification

English

Product Environmental Compliance MD\_2118310-1\_06292018026\_dmtec

PCB Antenna, Multi Band, Cat-M/NB-IoT / Wi-Fi / Cellular, Internal/Embedded Mount, Through-Hole/Tab Mount, Omnidirectional, Gain 3 < 6 dBi



English

MD\_2118310-1\_06292018026\_dmtec

English