

#### MotorMan

TE Internal #: 2120336-1 Circular Connector Caps & Covers, Protective Cover, Sealable, -40 – 85 °C, MotorMan View on TE.com >



Connectors > Circular Connectors > Circular Connector Accessories > Circular Connector Caps & Covers



Connector Cover Type: Protective Cover

Sealable: Yes

Operating Temperature Range: -40 – 85 °C

### Features

#### Product Type Features

Connector Cover Type

Protective Cover

#### Yes

### **Body Features**

PA 66 GF25
Black
28.5 mm[1.12 in]
-40 – 85 °C
100
Package/Box
100

### Product Compliance

For compliance documentation, visit the product page on TE.com>

### 2120336-1

Circular Connector Caps & Covers, Protective Cover, Sealable, -40 – 85 °C, MotorMan



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: 1,6,7,8,9,14,15,16,17,17,18,18- dodecachloropentacyclo [12.2.1.16,9.02,13.05,10]octadeca-7,15- diene (Dechlorane Plus) (14.17% in Component Part) Atide Safe Usage Statements Wash thoroughly after handling. Do not handle until all safety precautions have been read and understood. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability
Product Compliance Disclaimer	

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**




## Also in the Series | MotorMan

### 2120336-1

Circular Connector Caps & Covers, Protective Cover, Sealable, -40 – 85 °C, MotorMan









Rectangular Contact Inserts(5)

Rectangular Power Connectors(2)

# Customers Also Bought

TE Part #2289550-3 M8 M-F-SRT SH 3POS CABLE ASSEMBLY
TE Part #2289550-5 M8 M-F-SRT SH 3POS CABLE ASSEMBLY

### Documents

Product Drawings
PROTECTION COVER

English

### **CAD** Files

3D PDF

3D

Customer View Model

### 2120336-1

Circular Connector Caps & Covers, Protective Cover, Sealable, -40 – 85 °C, MotorMan



ENG\_CVM\_CVM\_2120336-1\_D\_c-2120336-1-d.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2120336-1\_D\_c-2120336-1-d.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2120336-1\_D\_c-2120336-1-d.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Environmental Compliance TE Material Declaration

English