TE Internal #: 2170030-1

SFP, SFP+ & zSFP+, Cage Assembly, Data Rate (Max) 16 Gb/s, Internal/External EMI Springs, SFP+, With Lightpipe, 1 x 4, Dual Round, Standard, Ultra Low

View on TE.com >



Connectors > Pluggable IO Connectors & Cages > SFP, SFP+ & zSFP+



Pluggable I/O Product Type: Cage Assembly

Data Rate (Max): 16 Gb/s

EMI Containment Feature Type: Internal/External EMI Springs

Pluggable I/O Applications: **SFP+** Lightpipe Options: **With Lightpipe** 

### **Features**

### **Product Type Features**

Form Factor	SFP+
Cage Type	Ganged
Pluggable I/O Product Type	Cage Assembly
Lightpipe Options	With Lightpipe
Connector System	Cable-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board

### **Configuration Features**

Port Matrix Configuration	1 x 4
Lightpipe Configuration	Dual Round
Lightpipe Style	Standard
Lightpipe Profile	Ultra Low
Number of Ports	4

## **Electrical Characteristics**

#### **Termination Features**

Termination Post & Tail Length	2.05 mm[.081 in]
Termination Method to Printed Circuit Board	Through Hole - Press-Fit

#### Mechanical Attachment



Connector Mounting Type	Board Mount
Housing Features	
Cage Material	Nickel Silver
Dimensions	
PCB Thickness (Recommended)	2.25 mm[.089 in]
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
Operation/Application	
Heat Sink Compatible	No
For Use With Pluggable I/O Products	SFP+ SMT Connector
Pluggable I/O Applications	SFP+
Circuit Application	Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Box & Tray, Tray
Other	
EMI Containment Feature Type	Internal/External EMI Springs

# **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



TE Part # CAT-C11-H50626 SFP+ to SFP+ I/O Cable Assembly: 30 AWG



TE Part # CAT-C11-N490333

OSFP28-Four SFP+ Cable Assembly:
30 AWG



TE Part # CAT-C11-N490325 QSFP28-Four SFP+ Cable Assembly: 26 AWG



TE Part # CAT-C11-N4901114 SFP28 to SFP28 Cable Assembly: 30 AWG



TE Part # CAT-C11-N49011 SFP28 to SFP28 Cable Assembly: 26 AWG



TE Part # CAT-Q17-N49011 QSFP56-Four SFP56 Cable Assembly: 30 AWG



TE Part # CAT-Q17-N490333 QSFP56-Four SFP56 Cable Assembly: 26 AWG



TE Part # 4-2821222-5 SFP56 DIRECT ATTACH CA, 2M, 30AWG



TE Part # 4-2821224-5 SFP56 DIRECT ATTACH CA, 3M, 26AWG



TE Part # 4-2334985-2 SFP56 DIRECT ATTACH CA, 1M, 32AWG



TE Part # CAT-C11-H5 SFP+ to SFP+ I/O Cable Assembly: 24 AWG



TE Part # CAT-C11-H506 SFP+ to SFP+ I/O Cable Assembly: 26 AWG



TE Part # CAT-C11-H5062 SFP+ to SFP+ I/O Cable Assembly: 28 AWG



TE Part # 2334985-2 SFP28 DIRECT ATTACH CA, 1M, 32AWG



TE Part # 2142970-1 CABLE ASSY, MICRO SFP+ TO STD SFP+, 0.5M



TE Part # 2142970-2 CABLE ASSY, MICRO SFP+ TO STD SFP+, 1M





TE Part # 2142970-3

CABLE ASSY, MICRO SFP+ TO STD

SFP+, 2M



TE Part # 2142970-4 CABLE ASSY, MICRO SFP+ TO STD SFP+, 3M



TE Part # 2142970-5 CABLE ASSY, MICRO SFP+ TO STD SFP+, 4M



TE Part # 2142970-6 CABLE ASSY, MICRO SFP+ TO STD SFP+, 5M


# Customers Also Bought



TE Part #2110759-1 SFP Connectors



TE Part #5-1437719-7 T01-0560-S04-FEMALE REC PANEL-PCB MNT RA



TE Part #216604-8


2X 8P HV190FEDERLEI



TE Part #2315864-6 SFP+assy 2x2 Spring Fingers Inner LP Sn



TE Part #8-1734857-5
PCI EXP STRADDLE 164P BLK 30u"



TE Part #926498-1 KEYING PART



TE Part #154765-E SMCB 50 M AB VV 7-03 CL \* 0007 137 E004



TE Part #956911-000 TXR40AB90-1810BI



### **Documents**

### **Product Drawings**

SFP+ 1x4 w/ Ultra Low Profile LP

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2170030-1\_A.2d\_dxf.zip



English

**Customer View Model** 

ENG\_CVM\_CVM\_2170030-1\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2170030-1\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

## **Product Specifications**

**Product Specification** 

English

**Product Environmental Compliance** 

**Product Compliance** 

English

**Product Compliance** 

English