


TE Internal #: 2170129-1 RJ Point Five Connectors, Multiple Ports, Ganged, 1 x 2, RJ point five, High Connector Contact Density, Jack, Shielded, Cat 5e, Standard - Latch Down

#### View on TE.com >



Connectors > Modular Jacks & Plugs > RJ Point Five Connectors > RJ Point Five Plug Kit: Single Plug



Port Configuration: Multiple Ports Multiple Port Configuration: Ganged Port Matrix Configuration: 1 x 2 Modular Jacks & Plugs Products: RJ point five Connector Contact Density: High

All RJ Point Five Plug Kit: Single Plug (4)

## Features

### Product Type Features

Modular Jacks & Plugs Products	RJ point five
Modular Connector Style	Jack
Connector System	Cable-to-Board
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Status Indicator Type	Lightpipe
PCB Mount Orientation	Right Angle
Port Configuration	Multiple Ports
Multiple Port Configuration	Ganged
Port Matrix Configuration	1 x 2
Connector Contact Density	High
Number of Positions	8
Number of Loaded Positions	8

RJ Point Five Connectors, Multiple Ports, Ganged, 1 x 2, RJ point five, High Connector Contact Density, Jack, Shielded, Cat 5e, Standard - Latch Down



EMI Finger Location	Bottom, Sides
Signal Characteristics	
Data Rate	1000 Mb/s
Body Features	
Modular Jack Latch Orientation	Standard - Latch Down
Contact Features	
Contact Current Rating (Max)	.02 A, 1 A
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Mating Entry Location	Side
Centerline (Pitch)	1.25 mm, 1.3 mm[.049 in][.051 in]
Usage Conditions	
Operating Temperature Range	0-70 °C[32-158 °F]
Operation/Application	
Shielded	Yes
Circuit Application	Signal
Industry Standards	
Performance Category	Cat 5e
Packaging Features	
Packaging Method	Box & Tray, Tray
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JAN 20 (233) SVHC > Threshold: Perfluorobutane sulfonic acid (PFBS) and salts (.13% in Component Part)

RJ Point Five Connectors, Multiple Ports, Ganged, 1 x 2, RJ point five, High Connector Contact Density, Jack, Shielded, Cat 5e, Standard - Latch Down



Article Safe Usage Statements:<br/>Do not eat, drink or smoke when using this product. Wash thoroughly after<br/>handling. Recycle if possible and dispose of the article by following all applicable<br/>governmental regulations relevant to your geographic location.Not Low Halogen - contains Br or Cl > 900<br/>ppm.

Solder Process Capability

Halogen Content

Not applicable for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



TE Part # CAT-P7553-C76264 RJ Point Five Plug Kit: Single Plug TE Part # 2185218-1 ASSY, EXTRACTION TOOL

## Customers Also Bought



RJ Point Five Connectors, Multiple Ports, Ganged, 1 x 2, RJ point five, High Connector Contact Density, Jack, Shielded, Cat 5e, Standard - Latch Down





TE Part #2057592-5 100G Plgbl Guide Rail

## Documents

Product Drawings

Recpt RJ.5 W/O MAG, 1X2 OFFSET

English

CAD Files 3D PDF

3D

Customer View Model ENG\_CVM\_CVM\_2170129-1\_A2.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2170129-1\_A2.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2170129-1\_A2.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Product Environmental Compliance MD\_2170129-1\_041520182322\_dmtec

English

MD\_2170129-1\_041520182322\_dmtec

English

RJ Point Five Connectors, Multiple Ports, Ganged, 1 x 2, RJ point five, High Connector Contact Density, Jack, Shielded, Cat 5e, Standard - Latch Down



Agency Approvals UL Report

English